

Application No. 55666

Permit No.

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

I, JACK M. VAUGHAN & JUDITH L. VAUGHAN (Name of Applicant)

of 8855 ELK CRK. RD., TRAIL (Mailing Address) (City)

State of OREGON, 97541 Phone No. 878-2934 do hereby (Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is FLAT CREEK & AN UNNAMED SPRING FLOW tributary of ELK CREEK

2. The point of diversion is to be located 1125 ft. (N. or S.) and ft. W 08° S (E. or W.) from the SE 1/4 cor. corner of NE 1/4 of SE 1/4 of Sec. 28 AND 305' W 13° N FROM THE SE CORNER OF SEC. 28 (Public Land Survey Corner) (If there is more than one point of diversion, each must be described)

being within the S. E. 1/4 of the S. E. 1/4 of Sec. 28 Tp. 32 S R. 1 E, W. M., in the county of JACKSON (N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Handwritten entries include 32 S, 1 E, 28, SE SE, DOMESTIC and 32 S, 1 E, 28, SE SE, DOMESTIC + 1/2 acre.

4. The amount of water which the applicant intends to apply to beneficial use is FLAT CREEK $\frac{1}{80}$
cubic feet per second..... UNNAMED $\frac{1}{80}$
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is..... DOMESTIC + $\frac{1}{2}$ acre

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

FLAT CREEK DIVERSION $\frac{1}{4}$ horse centrifugal
pump 1" intake $\frac{3}{4}$ " outlet to 1" supply 50'
long to house

UNNAMED DIVERSION
3' Long dam with 4' FRENCH DRAIN to
1" x 10' supply line to 500 gal. holding
TANK $\frac{3}{4}$ horse SUBMERSIBLE PUMP 1"
outlet 750' $1\frac{1}{4}$ " pipe to lift 140' to
house

If for domestic use state number of families to be supplied..... 2

7. Construction work will begin on or before..... 4-8-77

8. Construction work will be completed on or before..... 6-1-77

9. The water will be completely applied to the proposed use on or before..... 6-1-78

Application No. 55666

Permit No. 41700

Remarks: DESCRIPTION OF PROPERTY

W 1/2 of SE 1/4 of SE 1/4 PLUS W 150' of E 1/2
SE 1/4 of SE 1/4 of Sec. 28 T32S R 1E
LYING SOUTH OF FLAT CRK. RD.

Jack M. Laughlin
Signature of Applicant

Judith L. Laughlin

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

12 day of April, 1977, at 11 o'clock
A.M.

Application No. 55666

Permit No. 41700

PC

Application No. 55666

Permit No. 41700

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Flat Creek and spring flow; being 0.01 c.f.s. from Flat Creek and 0.01 c.f.s. from spring flow

The use to which this water is to be applied is domestic use for two families including the irrigation of lawn and garden not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 12, 1977

Actual construction work shall begin on or before September 28, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 28th day of September, 1977

James E. Larson
Water Resources Director

3-100