Permit No. 41783 RECEIVED

To Appropriate the Public Waters of the State of Oregon Water Resources Dept

Route 1, Box 425 - Eagle Creek, Oregon 97022 **State of **Oregon** **Oregon** **A tributary of **Land to a corporation, give date and place of incorporation 1. The source of the proposed appropriation is **Un-named stream and reservoir* **The source of the proposed appropriation is **Un-named stream and reservoir* **The source of the proposed appropriation is **Un-named stream and reservoir* **The source of the proposed appropriation is **Un-named stream and reservoir* **The source of the proposed appropriation is **Un-named stream and reservoir* **The amount of water which the applicant intends to apply to beneficial use is **0.025* **3. The use to which the water is to be applied is **Irrigation* **3. The use to which the water is to be applied is **Irrigation* **4. The point of diversion is located **350 **, **Irrigation* **4. The point of diversion is located **350 **, **Irrigation* **5. The Price Is a more than one point of diversion, such must be described. Use appraise should be accommentated as a commentation of the stream and the st	I, Georg	ge W. Lind, Jr.	and Joseph	ine Sully	Lind		·····
State of Oregon	of Route 1,	Box 425 - Eagle	Creek, Or	egon 9702	2		
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is		(WEITHIR SCIETASS)					
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is un-named stream and reservoir (Street of the proposed appropriation is un-named stream and reservoir (Street of the proposed appropriation is un-named stream and reservoir (Street of the proposed appropriation is un-named stream and reservoir (It was frown) *2. The amount of water which the applicant intends to apply to beneficial use is 0.025 cubic feet per second. (It was so to be applied is irrigation (tregation, power, mining, manufacturing, demantic nucplies, etc.) *3. The use to which the water is to be applied is (tregation, power, mining, manufacturing, demantic nucplies, etc.) 4. The point of diversion is located 350 ft. N and 320 ft. W from the C 1/4 (Ct. et 2). 4. The point of diversion is located 350 ft. N and 320 ft. W from the C 1/4 (Ct. et 2). 5. The W in the country of Clackamas (diversible of diversion) 5. The Pipe line (Manufacturing) of Clackamas 5. The Pipe line (Manufacturing) of Clackamas 5. The Pipe line (Manufacturing) of Clackamas (min length, terminating in the SE 1/4 NW 1/4 of Sec. 4 , Tp. 3S (Ct. et 2). (Manufacturing appropriation of the country of Clackamas (Manufacturing appropriation) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 5 feet, length on top 20 feet, length at bottom 4 feet; material to be used and character of construction compacted earth and (Cooss rot, concrete, manufacturing) (b) Description of heading secreted 4" diameter galvanized iron pipe with Character in the country of the day to secrete the secreted of the controlling gate valve. (c) If water is to be pumped give general description Irrigation pump is Cornell (Cooss rot, concrete, the number and me of openings) Installation. Suction 11ft 0": 17 sprinklers approx 114 gpm total.	State of	<u></u>	, do he r eby	make applicati	on for a p	ermit to appropria	te the
1. The source of the proposed appropriation is un-named stream and reservoir (Removed revenue) A tributary of Eagle Creek 2. The amount of water which the applicant intends to apply to beneficial use is 0.025 cubic feet per second. (If water is to be used from own that can seem, not quantity from such) **3. The use to which the water is to be applied is (Cression, power, inclined, manufacturing, dementic supplies, etc.) 4. The point of diversion is located 350 ft. N and 320 ft. W from the C 1/4 **Corner of Sec. 4 (Rection or subdivision) (If preferable, give deliance and baseful to section corner) (If preferable, give deliance and baseful to section corner) (If we as seen that are part of diversion) (If we have a seen that are	following describ	ed public waters of the	State of Orego	n, SUBJECT TO	EXIST	NG RIGHTS:	
A tributary of Eagle Creek 2. The amount of water which the applicant intends to apply to beneficial use is 0.025 cubic feet per second	If the appli	cant is a corporation, give	ve date and pla	ce of incorpora	tion		······
A tributary of Eagle Creek 2. The amount of water which the applicant intends to apply to beneficial use is 0.025 cubic feet per second	***************************************						•••••
2. The amount of water which the applicant intends to apply to beneficial use is 0.025 cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 350 ft. N and 320 ft. W from the C 1/4 corner of Sec. 4 (Rection or subdivision) (If there is more than one point of diversion, give distance and baseling to section corner) (If there is more than one point of diversion, such must be described. Use separate sheet if necessary) being within the SE 1/4 NW 1/4 of Sec. 4 Tp. 35 (corn). (Rection or subdivision) 7. The pipe 1 ine to be 700 feet (Rection in the country of Clackamas 5. The pipe 1 ine (Rection in the SE 1/4 NW 1/4 of Sec. 4 Tp. 35 (corn)) (Rection in the second of	1. The sour				(Name of s	treem \	
2. The amount of water which the applicant intends to apply to beneficial use is 0.025 cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 350 ft. N and 320 ft. W from the C 1/4 corner of Sec. 4 (Rection or subdivision) (If there is more than one point of diversion, give distance and baseling to section corner) (If there is more than one point of diversion, such must be described. Use separate sheet if necessary) being within the SE 1/4 NW 1/4 of Sec. 4 Tp. 35 (corn). (Rection or subdivision) 7. The pipe 1 ine to be 700 feet (Rection in the country of Clackamas 5. The pipe 1 ine (Rection in the SE 1/4 NW 1/4 of Sec. 4 Tp. 35 (corn)) (Rection in the second of			, a tributary	of Eagle	Creek	······································	
**3. The use to which the water is to be applied is **Creation power, mining, manufacturing, deceased rouplies, 4th.) 4. The point of diversion is located 350 ft. North and 320 ft. W from the C 1/4 (K.o.w.) **General Sec. 4 **Corner of Sec. 4 **Tp. 35 **Corner of Sec. 4 **Tp. 35	2. The amo						
**3. The use to which the water is to be applied is **Creation power, mining, manufacturing, deceased rouplies, 4th.) 4. The point of diversion is located 350 ft. North and 320 ft. W from the C 1/4 (K.o.w.) **General Sec. 4 **Corner of Sec. 4 **Tp. 35 **Corner of Sec. 4 **Tp. 35	cubic feet per seco	nd	rates in to be used from			te from each	•••••
4. The point of diversion is located 350 ft. N and 320 ft. W from the C 1/4 corner of Sec. 4 (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate about if necessary) being within the SE 1/4 NW 1/4 of Sec. 4 , Tp. 35 (corn.), (Olive manifest level subdivision) R. 4 E (Manifest, canal or pipe line) 5. The pipe 1ine to be 700 feet (Statis ditch, canal or pipe line) in length, terminating in the SE 1/4 NW 1/4 of Sec. 4 , Tp. 35 (corn.), R. 4 E (Manifest level subdivision) BESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 5 feet, length on top 20 feet, length at bottom 4 feet; material to be used and character of construction compacted earth and (Coess root, concrete, making). (b) Description of headgate Screened 4" diameter galvanized iron pipe with (Tumber, concrete, till, number and size of openings) (diam and type of angine or meter to be used with 130 gpm Cap. Stationary Installation. Suction 11ft 0": 17 sprinklers approx 114 gpm total.	**3 Theuse	to which the water is to	he applied is	irrigation	e, give quanti Q	ty from each)	
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate abset if necessary) being within the SE 1/4 NW 1/4 of Sec. 4 , Tp. 3S (or 8), R. 4 E , W. M., in the county of Clackamas 5. The pipe line to be 700 feet (Miles or feet) in length, terminating in the SE 1/4 NW 1/4 of Sec. 4 , Tp. 3S (milest legal inhiditation) R. 4 E , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam	0. 110 200	to writer the water is to	oe appnea is .	(Irrigation, power, r	nining, manu	facturing, domestic supplies,	etc.)
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate abset if necessary) being within the SE 1/4 NW 1/4 of Sec. 4 , Tp. 3S (or 8), R. 4 E , W. M., in the county of Clackamas 5. The pipe line to be 700 feet (Miles or feet) in length, terminating in the SE 1/4 NW 1/4 of Sec. 4 , Tp. 3S (milest legal inhiditation) R. 4 E , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam		***************************************			••••••••••••••••••••••••••••••••••••••		
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate abset If necessary) being within the SE 1/4 NW 1/4 of Sec. 4 , Tp. 3S (cors.) (It there is more than one point of diversion, each must be described. Use separate abset If necessary) being within the SE 1/4 NW 1/4 of Sec. 4 , Tp. 3S (cors.) R. 4 E (Miles or test) (It to be 700 feet (Miles or test) (It to be 70	4. The poin	rt of diversion is located	1 ft	N and 3	20ft	W from the C	1/4
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE 1/4 NW 1/4 of Sec. 4 Tp. 3S (or 8), R. 4 E (the or W), in the county of Clackamas 5. The Pipe line to be 700 feet (Main ditch, canal or pipe line) (Manufact legal middly dischered) (Record) R. 4 E (the or W), which is proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 5 feet, length on top 20 feet, length at bottom 4 feet; material to be used and character of construction compacted earth and (Loose rock, concrete, makenry, process and brush, timber crib, etc., waterway over or around dam) (b) Description of headgate Screened 4" diameter galvanized from pipe with 4" controlling gate valve. (c) If water is to be pumped give general description Irrigation pump is Cornell (Site and type of pump) 5HP electric @ 1 1/2" sucction & 1 1/4" discharge; 140' total head at shut off. Normal operating @ 90' etchead with 130 gpm Cap. Stationary Installation. Sucction lift 0". 17 sprinklers approx 114 gpm total.	corner of Sec.	. 4		(A. O. S.)	•	a. a. v.,	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE 1/4 NW 1/4 of Sec. 4 , Tp. 35 (Give smallest legal subdivision) R. 4 E	CO. N.C. O,		(Section o	or subdivision)			**********
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE 1/4 NW 1/4 of Sec. 4 , Tp. 35 (Give smallest legal subdivision) R. 4 E	***************************************				••••••		••••••
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE 1/4 NW 1/4 of Sec. 4 , Tp. 35 (Give smallest legal subdivision) R. 4 E	***************************************						
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE 1/4 NW 1/4 of Sec. 4 , Tp. 35 (Give smallest legal subdivision) R. 4 E					•••••		••••••
being within the SE 1/4 NW 1/4 of Sec. 4 ,Tp. 35 R. 4 E	•••••	(If preferable	e, give distance and be	earing to section corner	······································		·····
being within the SE 1/4 NW 1/4 of Sec. 4 ,Tp. 35 R. 4 E							·····
5. The pipe line (Main ditch, canal or pipe line) (A	heing mithin the	SE 1/4 NW 1/4	indiatoff ergu mmir o	of Sec	4	7n 3 S	
5. The pipe line (Main ditch, canal or pipe line) (A	A To	(Give smallest leg	ral subdivision)		•••••	(v. or 5	5.)
5. The pipe line (Main ditch, canal or pipe line) (A	R, V	V. M., in the county of	Lackamas		••••		
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 4 feet; material to be used and character of construction compacted earth and (Loose rock, concrete, masonry, concrete, masonry, controlling gate valve. (b) Description of headgate Screened 4" diameter galvanized iron pipe with (Timber, concrete, etc., number and size of openings) 4" controlling gate valve. (c) If water is to be pumped give general description in the property of pump is cornell (Size and type of engine or motor to be used total head water is to be lifted, etc.) Shut off. Normal operating @ 90' at head with 130 gpm Cap. Stationary installation. Suction 11ft 0': 17 sprinklers approx 114 gpm total.	5. The Pi	pe line		to be	700	feet	
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 4 feet; material to be used and character of construction compacted earth and (Loose rock, concrete, masonry, concrete, masonry, controlling gate valve. (b) Description of headgate Screened 4" diameter galvanized iron pipe with (Timber, concrete, etc., number and size of openings) 4" controlling gate valve. (c) If water is to be pumped give general description in the property of pump is cornell (Size and type of engine or motor to be used total head water is to be lifted, etc.) Shut off. Normal operating @ 90' at head with 130 gpm Cap. Stationary installation. Suction 11ft 0': 17 sprinklers approx 114 gpm total.	0. 2.00	(Main ditch, canal	or pipe line)		<i>t.</i>	(Miles or feet)	•••••
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 5 feet, length on top 20 feet, length at bottom 4 feet; material to be used and character of construction compacted earth and (Loose rock, concrete, masonry, concrete, masonry, controlling gate valve. (b) Description of headgate Screened 4" diameter galvanized iron pipe with (Timber, concrete, etc., number and size of openings) 4" controlling gate valve. (c) If water is to be pumped give general description (Size and type of pump) 5HP electric @ 1 1/2" suction & 1 1/4" discharge; 140' total head at (Size and type of engine or motor to be used total head water is to be lifted etc.) shut off. Normal operating @ 90' at head with 130 gpm Cap. Stationary installation. Suction 11ft 0': 17 sprinklers approx 114 gpm total.	in length, termino	iting in the SE 1/4 P	est legal subdivision)	of Sec		, Tp	, J.)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 5 feet, length on top 20 feet, length at bottom 4 feet; material to be used and character of construction compacted earth and (Loose rock, concrete, masonry, gravel fill. Wasteway of 2-24" CMP pipes around dam (b) Description of headgate screened 4" diameter galvanized iron pipe with (Timber, concrete, etc., number and size of openings) 4" controlling gate valve. (c) If water is to be pumped give general description Irrigation pump is Cornell (Size and type of pump) 5HP electric @ 1 1/2" suction & 1 1/4" discharge; 140' total head at (Size and type of engine or meter to be used total head water is to be lifted, etc.) shut off. Normal operating @ 90' at head with 130 gpm Cap. Stationary installation. Suction 11ft 0': 17 sprinklers approx 114 gpm total.	R. 4 E	, W. M., the proposed	location being s	hown througho	ut on the	accompanying map	
Diversion Works— 6. (a) Height of dam 5 feet, length on top 20 feet, length at bottom 4 feet; material to be used and character of construction compacted earth and (Loose rock, concrete, masonry, gravel fill. Wasteway of 2-24" CMP pipes around dam (b) Description of headgate Screened 4" diameter galvanized iron pipe with (Timber, concrete, etc., number and size of openings) 4" controlling gate valve. (c) If water is to be pumped give general description Irrigation pump is Cornell (Size and type of pump) 5HP electric @ 1 1/2" suction & 1 1/4" discharge; 140' total head at (Size and type of engine or motor to be used total head water is to be lifted, etc.) shut off. Normal operating @ 90' at head with 130 gpm Cap. Stationary installation. Suction 11ft 0': 17 sprinklers approx 114 gpm total.	(E. of W.)		-				
6. (a) Height of dam 5 feet, length on top 20 feet, length at bottom 4 feet; material to be used and character of construction compacted earth and (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate screened 4" diameter galvanized iron pipe with (Timber, concrete, etc., number and size of openings) 4" controlling gate valve. (c) If water is to be pumped give general description Irrigation pump is Cornell (Size and type of pump) 5HP electric @ 1 1/2" suction & 1 1/4" discharge; 140' total head at (Size and type of engine or motor to be used, total head water is to be lifted, etc.) shut off. Normal operating @ 90' at head with 130 gpm Cap. Stationary installation. Suction 11ft 0': 17 sprinklers approx 114 gpm total.			ESCRIPTION O	OF WORKS			
4 feet; material to be used and character of construction compacted earth and (Loose rock, concrete, masonry, (Rose rock, concrete, masonry, (Rose rock, concrete, masonry, (Rose rock, concrete, masonry, (Rose rock, concrete, masonry, (B) Description of headgate Screened 4" diameter galvanized iron pipe with (Timber, concrete, etc., number and size of openings) 4" controlling gate valve. (c) If water is to be pumped give general description Irrigation pump is Cornell (Size and type of pump) 5HP electric @ 1 1/2" suction & 1 1/4" discharge; 140' total head at (Size and type of engine or meter to be used total head water is to be lifted etc.) shut off. Normal operating @ 90' at head with 130 gpm Cap. Stationary installation. Suction 11ft 0': 17 sprinklers approx 114 gpm total.					20		
gravel fill. Wasteway of 2-24" CMP pipes around dam rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Screened 4" diameter galvanized iron pipe with (Timber, concrete, etc., number and size of openings) 4" controlling gate valve. (c) If water is to be pumped give general description Irrigation pump is Cornell (Size and type of pump) 5HP electric @ 1 1/2" suction & 1 1/4" discharge; 140' total head at (Size and type of engine or motor to be used, total head water is to be lifted. etc.) shut off. Normal operating @ 90' at head with 130 gpm Cap. Stationary installation. Suction 11ft 0': 17 sprinklers approx 114 gpm total.							
gravel fill. Wasteway of 2-24" CMP pipes around dam rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Screened 4" diameter galvanized iron pipe with (Timber, concrete, etc., number and size of openings) 4" controlling gate valve. (c) If water is to be pumped give general description Irrigation pump is Cornell (Size and type of pump) 5HP electric @ 1 1/2" suction & 1 1/4" discharge; 140' total head at (Size and type of engine or motor to be used, total head water is to be lifted. etc.) shut off. Normal operating @ 90' at head with 130 gpm Cap. Stationary installation. Suction 11ft 0': 17 sprinklers approx 114 gpm total.	4	feet; material to be used	and character	of construction.	compa	ted earth an	d
(b) Description of headgate Screened 4" diameter galvanized iron pipe with (Timber, concrete, etc., number and size of openings) 4" controlling gate valve. (c) If water is to be pumped give general description Irrigation pump is Cornell (Size and type of pump) 5HP electric @ 1 1/2" suction & 1 1/4" discharge; 140' total head at (Size and type of engine or motor to be used total head water is to be lifted etc.) shut off. Normal operating @ 90' at head with 130 gpm Cap. Stationary installation. Suction 11ft 0': 17 sprinklers approx 114 gpm total.	gravel fill.	Wasteway of 2-	24" CMP p	lpes around	d dam		
4" controlling gate valve. (c) If water is to be pumped give general description Irrigation pump is Cornell (Size and type of pump) 5HP electric @ 1 1/2" suction & 1 1/4" discharge; 140' total head at (Size and type of engine or motor to be used, total head water is to be lifted, etc.) shut off. Normal operating @ 90' at head with 130 gpm Cap. Stationary installation. Suction 11ft 0': 17 sprinklers approx 114 gpm total.	(b) Descrip	otion of headgate Scre	ened 4" d:	lameter gal	vanize	d iron pipe	with
(c) If water is to be pumped give general description Irrigation pump is Cornell 5HP electric @ 1 1/2" suction & 1 1/4" discharge; 140' total head at (Size and type of pump) (Size and type of pump) Shut off. Normal operating @ 90' of head water is to be lifted. etc.) shut off. Normal operating @ 90' of head with 130 gpm Cap. Stationary installation. Suction 11ft 0': 17 sprinklers approx 114 gpm total.			(Tim	ber, concrete, etc., num	ber and size	of openings)	
5HP electric @ 1 1/2" suction & 1 1/4" discharge; 140' total head at (Size and type of engine or motor to be used, total head water is to be lifted. etc.) shut off. Normal operating @ 90' at head with 130 gpm Cap. Stationary installation. Suction lift 0': 17 sprinklers approx 114 gpm total.	***************************************				************		-
5HP electric @ 1 1/2" suction & 1 1/4" discharge; 140' total head at (Size and type of engine or motor to be used, total head water is to be lifted. etc.) shut off. Normal operating @ 90' at head with 130 gpm Cap. Stationary installation. Suction lift 0': 17 sprinklers approx 114 gpm total.	(c) If wate	r is to be pumped give g	eneral descript	ion Irriga	ition p	ump is Corne	11
	5HP electri	c @ 1 1/2" sucti	on & 1 1/4	" discharg	e; 140	total head	at
	shut off.	(Size and type of engine Normal operating	or motor to be used, t	otal head water is to be head with	130 gr	m Cap. Stati	onary
to wanter the terminal of the contract of the					rhhr ox	TI4 Shu roca	٠.

readgate. At head	gate: width on	top (at water	line)		feet; width on	botte
housand feet.					r line)	
j	feet; width on b	ottom	fec	et; depth of w	ater	fe
rade	feet fall	l per one thou	sand feet.			
(c) Length	of pipe,	700 ft.;	size at intake,	4	in.; size at2	5
					ference in elevation b	
					Estimated co	
0.151	•		grade annyorm.	***************************************		
		rrigated, or pl	ace of use			•
Township North or South	Range E. or W. of Willemette Meridian	Section	Forty-acre	Tract	Number Acres To Be Irri	gated
3s	4E	4	SE 1/4 NW	1/4	1.5 ac.	
3S	4E	4	NE 1/4 SW		0.5 ac.	
		•	 			• • • • • • • • • • • • • • • • • • • •
Beginning a southwest of	t the nort	heast cor said Sect	ner of the Lon 4; the	northeast nce west	quarter of th 1980 feet; et, more or le	е
thence nort	h 506 feet	thence	N 60° east	223.64 fe	et, more or le	ss;
the northwe	st quarter	; thence	south 606 f	eet along	heast quarter said east lin	e
to the poin	t of begin	ning.				
						-
				<u>-</u>		
	1		required, attach separate	sheet)	<u> </u>	
	racter of soil	loam clay		•••••		
(b) Kin	nd of crops raise	d Rhodode	endrons, Aza	leas, Cor	nifers	
Power or Mining	Purposes-					
9. (a) Tot	al amount of po	wer to be dev	eloped		theoretical hors	epot
(b) Qu	antity of water	to be used for	power	se	c. ft.	
(c) Tot	al fall to be util	lized	(Read)	feet.		
			V			
(d) The	e nature of the 1	works by mear	is of which the p	ower is to be	developed	
***************************************			•••••••••••••••••••••••	••••••		
(e) Suc	ch works to be l	ocated in	(Tami mild	(wiston)	of Sec	
Tp(No. N. or S.						
,		··································		, ' ,		
			Team?(Yes or No)			
			-			
		., Sec	, Tp	(No. N. or S.)	, R(No. E. or W.)	, W
(h) Th	e use to which p	ower is to be	applied is			
` ,						
	e nature of the	mines to be se	rved	*************************	***************************************	

10. (a) To sup	ply the city of			·····
(Name of)	County, having a presen	nt population of		
nd an estimated pop	oulation of	in 19		
(b) If for	domestic use state number of	families to be su	pplied	******
		12, 13, and 14 in all cases)		
11. Estimated	cost of proposed works, \$ 500			
	on work will begin on or before		ompleted	
	on work will be completed on a			***************************************
14. The water	will be completely applied to th	ie proposed use oi	n or before alleady	III use
		<u>-</u>	12,10	
		Hotge	(Signatury of applicant)	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		propor	ne Sulley XI	nd
Remarks:		// '		
				•
		***************************************	***************************************	***************************************
***************************************	***************************************	······································		***************************************
·····				***************************************
		_		
		***************************************		******************
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	N,)			
	N, }ss			
TATE OF OREGO	N, }ss			
TATE OF OREGO County of Marion This is to cert	N, \{ ss. ify that I have examined the }	foregoing applica	tion, together with the	accompan
TATE OF OREGO County of Marion This is to cert	N, }ss.	foregoing applica	tion, together with the	accompan
TATE OF OREGO County of Marion This is to cert naps and data, and t	N, \{ ss. ify that I have examined the preturn the same for	foregoing applica	tion, together with the	accompan
STATE OF OREGO County of Marion This is to cert naps and data, and t	N, \{ ss. ify that I have examined the preturn the same for	foregoing application	tion, together with the	accompan
STATE OF OREGO County of Marion This is to cert naps and data, and 1	N, \{ ss. \\ ify that I have examined the return the same for	foregoing application must be return 19.77.	tion, together with the ed to the State Engine SEP - 11977 VATER RESOURCES	accompan
STATE OF OREGO County of Marion This is to cert naps and data, and t	N, \{ ss. ify that I have examined the preturn the same for	foregoing application must be return 19.77.	tion, together with the	accompani r, with cor

By Larry M. Toll Assistant

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

m.		4-3 /- 1//4-3 4- 41		tam subiah a	an he applied	to hamaficial use
		ted is limited to th				
		025 cubic fee				
		case of rotation wi				
La Palom	a Lake reservo	oir to be const	ructed under	application	on No. R 558	U/, permit
No. R 6	609					
The	use to which this	water is to be app	lied isirrig	ation		
		appropriation shall				
		to exceed 2½ a				
•		of each year f		······		
***************************************		***************************************				
De Const	ructed under p	permit No. R. 6				

						•
•••••						
	•••••					
3 .117 1		reasonable rotation				
		his permit isMa				*
		vork shall begin or				
thereafter	be prosecuted wi	ith reasonable dilig	ence and be con	npleted on o	r before Octob	er 1, 1979
Con	nplete application	of the water to the	proposed use s	hall be made	on or before (October 1, 19.80
WI	TNESS my hand t	his 28th	day of Sep	tember	, 19.77	
			<u> </u>	James	E Sen	(son
			Water B	ésources D	irector	ANNE NEW MARKET XX
Application No. 55.808 Permit No. 41783	PERMIT O APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	Sal Sal	d o'clock // M.	2.08	book No. of	STATE ENGINEER No. page
Application N Permit No	O APPRC WATEI	is instrum of the Sta	, at	oved:	corded in book Noits on page	uge Basin No.

Person Section Contract