

RECEIVED  
FEB 11 1977  
WATER RESOURCES DEPT.  
SALEM, OREGON

RECEIVED  
FEB 24 1977  
WATER RESOURCES DEPT.  
\*APPLICATION FOR PERMIT

Permit No. 41794

To Appropriate the Public Waters of the State of Oregon

I, Mr. & Mrs. Stephen M. Kays (Name of applicant)  
of 702 Tillamook Pacific (Mailing address), Tillamook (City),  
State of Oregon, 97141 (Zip Code), do hereby make application for a permit to appropriate the  
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- 1. The source of the proposed appropriation is NAME unnamed stream (Name of stream), a tributary of Trask river
- 2. The amount of water which the applicant intends to apply to beneficial use is 0.002 + 0.008 cfs add by phone 5/6/77 cubic feet per second (If water is to be used from more than one source, give quantity from each)
- 3. The use to which the water is to be applied is domestic use for 2 families including irrig of not to exceed 1/2 acre lawn & garden (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
- 4. The point of diversion is located 150. ft. N and 500. ft. W from the S 1/4 Sec. 22 corner of T. 15 R. 8 W 1/4 S 22 (Section or subdivision) cadastral Survey B.L.M. S 27

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the S.E. 1/4 SW 1/4 of Sec. 22, Tp. 1 S, R. 8 W, W. M., in the county of Tillamook

5. The pipe line NE 1/4 NW 1/4 to be 2,300.00 ft in length, terminating in the Northwest corner of Sec. 27, Tp. 1 S, R. 8 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2' feet, length on top 4' feet, length at bottom 3' feet; material to be used and character of construction Loose rock

(b) Description of headgate None Loose rock

(c) If water is to be pumped give general description

\* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 4' ft feet; width on bottom 3' ft feet; depth of water 2' feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 2300 ft.; size at intake, 3" in.; size at ..... ft. from intake ..... in.; size at place of use 1" in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use NE 1/4 NW 1/4

Table with 5 columns: Township North or South, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Handwritten entries: 1 South, 8 west, 27, NE 1/4 NW 1/4, Dom. (2) L+G.

(If more space required, attach separate sheet)

(a) Character of soil .....

(b) Kind of crops raised .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

Tp. ...., R. ...., W. M. ....

(f) Is water to be returned to any stream? .....

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of \_\_\_\_\_  
(Name of) \_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19 \_\_\_\_\_

(b) If for domestic use state number of families to be supplied two

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 300.00
- 12. Construction work will begin on or before \_\_\_\_\_
- 13. Construction work will be completed on or before Completed in 1972
- 14. The water will be completely applied to the proposed use on or before to date

Stephen M. Hayes  
(Signature of Applicant)

Remarks: I didn't realise up until recently you could not use any water unless obtaining a permit first.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 2, 1977.

WITNESS my hand this 2nd day of March, 1977.

JAMES E. SEXSON  
Director

By Vestal R. Garner  
Vestal R. Garner

RECEIVED

APR 2 1977  
WATER RESOURCES DEPT  
SALEM, OREGON

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is domestic use for 2 families including the irrigation of lawn and garden not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 24, 1977

Actual construction work shall begin on or before October 10, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 10th day of October, 1977

James E. Seaman  
Water Resources Director

Application No. 55347  
Permit No. 4179A

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24 day of February, 1977, at 8 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of  
Permits on page

STATE ENGINEER

Drainage Basin No. 1 page 20B  
Fees \$5.00