

SM- RECEIVED
MAY 2 1977
WATER RESOURCES DEPT
SALEM, OREGON

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Mona Lou Carter
(Name of applicant)
of 4154 Deer Creek Road Selma
(Mailing address) (City)
State of Oregon 97538, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- 1. The source of the proposed appropriation is Crooks Creek
(Name of stream)
....., a tributary of Deer Creek
- 2. The amount of water which the applicant intends to apply to beneficial use is 0.08
cubic feet per second being .005 cfs for one domestic use, .075 for irrigation of
(If water is to be used from more than one source, give quantity from each)
- 3. The use to which the water is to be applied is irrigation & domestic 6 acres
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
- 4. The point of diversion is located 2300 ft. S and 1300 ft. E from the NW
(N. or S.) (E. or W.)
corner of Section 9
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 9, Tp. 38 S,
(Give smallest legal subdivision) (N. or S.)

R. 7 W, W. M., in the county of Josephine
(E. or W.)

5. The main pipeline to be 580 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 9, Tp. 38 S,
(Smallest legal subdivision) (N. or S.)

R. 7 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description See remarks
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

10. (a) To supply the city of

(Name of)

County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one.....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before April 1, 1978
- 13. Construction work will be completed on or before April 1, 1979
- 14. The water will be completely applied to the proposed use on or before April 1, 1980

Mona Lou Carter
(Signature of applicant)

Remarks:

Item #6 and #7 - Applicant will hire contractor to put in this system. At this point, size of pump and diameter of pipeline are unknown.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.08 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Crooks Creek

The use to which this water is to be applied is domestic use for one family and irrigation, being 0.005 c.f.s. for domestic use and 0.075 c.f.s for irrigation.

If for irrigation, this appropriation shall be limited to 1/50th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 24, 1977

Actual construction work shall begin on or before October 10, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979.

Complete application of the water to the proposed use shall be made on or before October 1, 1980. Extended to Oct. 1 1981

WITNESS my hand this 10th day of October, 1977

James E. Shuman
Water Resources Director

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24 day of March, 1977, at 11 o'clock P.M.

Returned to applicant:

Approved:

Recorded in book No. of

Permits on page

STATE ENGINEER

Drainage Basin No. page

Fees

Application No. 55547
Permit No. 41857