

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

WATER RESOURCES DEPT
SALEM, OREGON

I, Ernie G. Gilbert
(Name of Applicant)

of P.O. Box 103, Idleyld Park
(Mailing Address) (City)

State of Oregon, 97447 Phone No. 496-3789 do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is 2 unnamed creeks
....., a tributary of Rock Creek

2. The point of diversion is to be located ft. and ft.
(N. or S.) (E. or W.)

both from the SW corner of SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 1
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

#1: 445' N., 410' E.

#2: 1385' N., 10' E.

..... being within the #1: SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of
#2: NW
Sec. 1 Tp. 26S R. 3W, W. M., in the county of Douglas
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
26S	3W	1	SW $\frac{1}{4}$ NE $\frac{1}{4}$	Domestic including $\frac{1}{2}$ acre

4. The amount of water which the applicant intends to apply to beneficial use is 0.01 from Stream A
with any deficiency in supply to be made up
cubic feet per second..... from Stream B
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is domestic including not to exceed 1/2
acre lawn and garden

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

3/4 h.p., electric pump; approximately 40' of 1" pipe

If for domestic use state number of families to be supplied one

7. Construction work will begin on or before July 1977

8. Construction work will be completed on or before July 1978

9. The water will be completely applied to the proposed use on or before July 1979

Application No. 56298

Permit No. 41964

Remarks:

THIS APPLICATION PREPARED BY:

Paul M. Fry
FROM INFORMATION FURNISHED BY
THE APPLICANT.

Signature of Applicant

Ernie G. Gilbert

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....correction.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or beforeOctober 17, 1977....., 19.....

WITNESS my hand this16th..... day of.....August....., 19..77.....

James E. Sexson Water Resources Director

By

James E. Sexson

RECEIVED

AUG 20 1977

WATER RESOURCES DEPT
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

27

day of

July

19 77

at 11:00

o'clock

A.M.

Application No. *56298*

Permit No. **41964**

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed streams A and B, water to be diverted from stream A when available with any deficiency in the available supply from stream A to be made up by appropriation from stream B, provided that the total quantity diverted from both sources shall not exceed 0.01 c.f.s. The use to which this water is to be applied is domestic use for one family including the irrigation of lawn and garden not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 27, 1977, for stream A, and August 25, 1977, for stream B.

Actual construction work shall begin on or before October 12, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 12th day of October, 1977

James E. Simon
Water Resources Director