

RECEIVED

1977-91977

WATER RESOURCES DEPT
SALEM, OREGON

Permit No. 41989

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, COONRIDGE, INC.
(Name of applicant)
of Rt 1 Box 198E, CARLTON
(Mailing address) (City)
State of OREGON, 97111, do hereby make application for a permit to appropriate the
(Zip Code)
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation
FEB 11, 1974 SALEM, OREGON

1. The source of the proposed appropriation is PANTHER CREEK
(Name of stream)
a tributary of NORTH YAMHILL

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second A - 1.5 gpm ; B - 23 gpm C - 23 gpm
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
A - Stock water ; B - Irrigation ; C - Irrigation

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the
(N. or S.) (E. or W.)
corner of _____
(Section or subdivision)

S108°W A - 1550 ft bearing 20° to survey corner, 22/23
S77°W B - 1900 ft bearing 13° to survey corner, 27/26
S81°W C - 2050 ft, bearing 10° to survey corner, "
(If preferable, give distance and bearing to section corner)

also :- See remarks
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of the NE 1/4 of Sec. 27, Tp. 3 S,
(Give smallest legal subdivision) (N. or S.)

R. 5 W, W. M., in the county of YAMHILL
(E. or W.)

5. The pipe line to be 50 ft
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the NW 1/4 NE 1/4 of Sec. 27, Tp. 3 S,
(Smallest legal subdivision) (N. or S.)

R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 HP ; Centrifugal pump
(Size and type of pump)
10 ft lift ; 54 gpm ; gas-driven ; portable
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 200⁰⁰
- 12. Construction work will begin on or before Spring, 1977
- 13. Construction work will be completed on or before Summer, 1977
- 14. The water will be completely applied to the proposed use on or before Summer, 1977

Janet A. Dillon
(Signature of applicant)
Officer of COOKRIDGE, INC.

Remarks:

Livestock to be watered:
Beef calves - 4
Beef yearling - 4
Pigs - 4

Diversions Located:-

A:- S 70° W. 1550'
B:- S 77° W. 1900'
C:- S 80° W 2050'
all from the NW cor. Section 27

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 12, 1977.

WITNESS my hand this 12th day of May, 1977.

RECEIVED
JUN 13 1977
WATER RESOURCES DEPT
SALEM, OREGON

JAMES E. SEXSON
Director
By Vestal R. Garner
Vestal R. Garner

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.105 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Panther Creek

The use to which this water is to be applied is irrigation and stock; being 0.10 c.f.s. for irrigation and 0.005 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 25, 1977

Actual construction work shall begin on or before November 4, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979.

Complete application of the water to the proposed use shall be made on or before October 1, 1980.

WITNESS my hand this 4th day of November, 1977

James E. Seaton
Water Resources Director

Application No. 55/50
Permit No. 41989

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9 day of May, 1977, at 11 o'clock P.M.

Returned to applicant:

Approved:

Recorded in book No. of
Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 90B27
Fees 45.00