

Application No. 56398

Permit No. 42000

**STATE OF OREGON WATER RESOURCES DEPARTMENT**

**Application for Permit to Appropriate Surface Water**

I, Milton Eugene Rowland (Name of Applicant)  
of P.O. Box 1017 (Mailing Address), Philomath (City)  
State of Oregon (Zip Code) 97370 Phone No. 929-5867 do hereby  
make application for a permit to appropriate the following described waters of the State of Oregon:

- The source of the proposed appropriation is Unnamed stream & Reservoir, a tributary of Greasy Creek
- The point of diversion is to be located 330 ft. N and 1179.26 ft. W from the C/4 corner of Section 6 (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the SW 1/4 of the NE 1/4 of  
Sec. 6 Tp. 13S R. 6W, W. M., in the county of Benton

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
<u>13S</u>	<u>6W</u>	<u>6</u>	<u>SW NE</u>	<u>19 Dom. ①</u>

8-11-77  
NER

0.015  
~~0.015~~ 8-11-77 NER

4. The amount of water which the applicant intends to apply to beneficial use is .....  
cubic feet per second... being 0.01 cfs for Irrig, 0.005 cfs for Domestic, & ~~0.005 cfs for stock~~ - 8-11-77 NER  
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Irrigation of Pac  
Domestic use for one family & ~~Stock~~ trough  
8-11-77 NER

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Water will be diverted from the small stream with a diversion dam and through a 9" plastic pipeline to a 30' diam reservoir.  
Water will be pumped from the reservoir to the garden, house, & Stock Trough.

If for domestic use state number of families to be supplied... one

7. Construction work will begin on or before... has started

8. Construction work will be completed on or before... 10/1/79

9. The water will be completely applied to the proposed use on or before... 10/1/80

Application No. 56398

Permit No. 42000

15/100

Remarks: .....

*x. Milton E. Bradford*  
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

..... Water Resources Director

By .....

**RECEIVED**

**AUG 11 1977**

**WATER RESOURCES DEPT.  
SALEM, OREGON**

THIS APPLICATION PREPARED BY:

*Una Stamer*  
FROM INFORMATION FURNISHED BY  
THE APPLICANT.

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

*11<sup>th</sup>* day of *August*, 19 *77*, at *1:30* o'clock  
*P* M.

Application No. **56398**

Permit No. **42000**

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.015 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream and reservoir to be constructed under application No. R 56397, permit No. R 6657

The use to which this water is to be applied is domestic use for one family and irrigation; being 0.005 c.f.s. for domestic use and 0.01 c.f.s. for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under permit No. R 6657

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 11, 1977

Actual construction work shall begin on or before November 4, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 4th day of November, 1977

James E. Saxon
Water Resources Director