

"CERTIFICATE NO. 54639"

Application No. 56594

Permit No. 42003

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

I, Sidney Irrigation Cooperative (Name of Applicant)

of P. O. Box 206 (Mailing Address), Jefferson (City)

State of Oregon, 97352 (Zip Code) Phone No. (503) 327-3385 do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is North Santiam River

, a tributary of Santiam River

2. The point of diversion is to be located 1300 ft. North and 3800 ft. East (N. or S.) (E. or W.)

from the Center corner of Sec. 34 Tp. 9S, R. 2W, WM (Public Land Survey Corner)

South west corner of Israel Chamness DLC (If there is more than one point of diversion, each must be described)

No. 59

being within the SE 1/4 of the NE 1/4 of

Sec. 34, Tp. 9S, R. 2W, WM, in the county of Marion

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
9S	3W	36	NE of NE	Agricultural Sanitation 0.15 cfs
9S	3W	30	NW of NE	Agricultural Sanitation 0.15 cfs
9S	2W	31	SW of SW	Agricultural Sanitation 0.15 cfs

RECEIVED

SEP 13 1977

WATER RESOURCES DEPT.
SALEM, OREGON

4. The amount of water which the applicant intends to apply to beneficial use is 0.15
cubic feet per second for each of three locations
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Wash dairy barn waste into sewage
lagoon

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Diversion will be made through existing Sidney Canal and works with-
out additional construction.

Location at Sec. 36, T9S, R3W, is Kamlade Dairy. Present herd numbers
160 cows with increase planned to 300 upon completion of sanitation
facilities. 5 HP High Pressure System through 2 to 3 inch line will
be installed.

Location at Sec. 30, T9S R3W, Paul Hesse Dairy has present 150 cow
capacity with 5 HP High pressure system installed and 1-6000 and 1-8000
gallon storage tanks. Herd increase likely.

Location at Sec. 31, T9S, R2W, Hamby Dairy not operating presently be-
cause of illness and death of proprietor. Has possible 100 cow capa-
city and will require sanitation water supply upon activation.

If for domestic use state number of families to be supplied N/A

7. Construction work will begin on or before Canal in existence

8. Construction work will be completed on or before N/A October 1, 1979

9. The water will be completely applied to the proposed use on or before October 1, 1980

Application No. 56594

Permit No. 42003

150000

Remarks:.....

.....
.....
.....
.....
.....
.....
.....
.....

Sidney Irrigation Cooperative.....
Signature of Applicant.....

Secretary

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
..... 13th day of September, 19 77, at 3:30 o'clock
..... P.M.

Application No. 56594

Permit No. 42003

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.45 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Santiam River

The use to which this water is to be applied is dairy barn waste flushing

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.....


and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 13, 1977

Actual construction work shall begin on or before November 4, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 4th day of November, 1977


Water Resources Director