

RECEIVED

FEB 21 1975

STATE ENGINEER
SALEM, OREGON

Permit No. 42025

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Bonnieview Ranch, Inc. (Name of applicant)
of P. O. Box 578 Prineville, (Mailing address) (City)
State of Oregon, 97754, do hereby make application for a permit to appropriate the (Zip Code)
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation December 10, 1973
Prineville, Oregon

- 1. The source of the proposed appropriation is Crooked River (Name of stream), a tributary of Deschutes River.
2. The amount of water which the applicant intends to apply to beneficial use is 1.49, 2.13 cubic feet per second from pump #1, from pump #2 (If water is to be used from more than one source, give quantity from each)
3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1850 ft. N and 2540 ft. W from the SE corner of Section 19, T 16S, R 19E, W. M. (Pump #1) (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NW 1/4 SE 1/4 SW 1/4 NE 1/4 of Sec. 19, 19, Tp. 16S, 16S, 19E (Give smallest legal subdivision) (N. or S.)
R. 19E, W. M., in the county of Crook Pipeline 1450'
5. The pipeline to be 1680' (Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 SE 1/4 & SE 1/4 SW 1/4 of Sec. 19, 19, Tp. 16S, 19E (Smallest legal subdivision) (N. or S.)
R. 19E, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

- 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate (Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description pump #2 30 HP Centrifugal pump #1 15 HP Centrifugal electric to lift water 103 feet into open ditch (Size and type of pump) electric to lift water 10 feet into sprinkler system (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ^{1450'}1680' ft.; size at intake, ^{8"}4" in.; size at ⁶⁰⁰1680 ft. from intake ^{8"}4" in.; size at place of use ^{8"}4" in.; difference in elevation between intake and place of use, ^{10'}10 ft. Is grade uniform? ^{No}Yes Estimated capacity, ^{2.18}1.50 Primary, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
16 S	19 E	19	SW ¹ / ₄ NE ¹ / ₄	Primary Supplemental 9.4
"	"	"	SE ¹ / ₄ NW ¹ / ₄	10.4
"	"	"	NE ¹ / ₄ SW ¹ / ₄	35.3
"	"	"	SE ¹ / ₄ SW ¹ / ₄	6.2
"	"	"	SW ¹ / ₄ SW ¹ / ₄	1.9
"	"	"	NW ¹ / ₄ SE ¹ / ₄	5.2
16 S	10 E	19	SW ¹ / ₄ NE ¹ / ₄	5.4 Supplemental 20.0
"	"	"	NE ¹ / ₄ NW ¹ / ₄	2.0
"	"	"	SE ¹ / ₄ NW ¹ / ₄	3.3
"	"	"	NW ¹ / ₄ SE ¹ / ₄	4.0
"	"	"	NW ¹ / ₄ NE ¹ / ₄	7.4
"	"	"	SW ¹ / ₄ SE ¹ / ₄	8.0
"	"	"	NW ¹ / ₄ SE ¹ / ₄	0.9
"	"	"	NW ¹ / ₄ SE ¹ / ₄	9.8
"	"	"	SE ¹ / ₄ SE ¹ / ₄	19.0
"	"	30	NE ¹ / ₄ NE ¹ / ₄	8.5

(a) Character of soil ^{West of river}Loam 60" Deep ^{Last of river}Clay Loam 2-4' deep
 (b) Kind of crops raised Alfalfa Alfalfa & Grass pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply--

10. (a) To supply the city of

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 13, and 14 in all cases)

2,500.00 Pump #2

11. Estimated cost of proposed works, \$8,000.00 Pump #1

12. Construction work will begin on or before Feb. 20, 1976

13. Construction work will be completed on or before Oct. 1, 1976

14. The water will be completely applied to the proposed use on or before Oct. 1, 1977

Kenneth R. Collett
(Signature of applicant)
General Manager

Remarks:

RECEIVED
JAN 2 1976
WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED
APR 19 1976
WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED
APR 24 1975
STATE ENGINEER
SALEM, OREGON

RECEIVED
JUN 1 1976
WATER RESOURCES DEPT
SALEM, OREGON

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
plans and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before May 1, 1975 March 18, 1977

WITNESS my hand this 3rd day of March, 1975 Dec. 17, 1976
9th July 75
24th October 75
18th March 76
22nd April 76

RECEIVED
SEP - 9 1975

CHRIS L. WHEELER
STATE ENGINEER

By *James W. Carr*
Wayne J. Overcash ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.56 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Crooked River

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 2, 1976, for 1.82 c.f.s., and January 21, 1977 for 1.74 c.f.s.

Actual construction work shall begin on or before November 4, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979.

Complete application of the water to the proposed use shall be made on or before October 1, 1980.

WITNESS my hand this 4th day of November, 1977.

James E. Sexton
Water Resources Director STATE ENGINEER

Application No. 2797
Permit No. 42025

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21st day of February, 1975, at 8:00 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. of

Permits on page

STATE ENGINEER

Drainage Basin No. 5 page PC

Fees

56.55
14-3775 48 2/17
625 1550
600