

4. The amount of water which the applicant intends to apply to beneficial use is ~~0.425~~ 0.85

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is *Supplemental Irrigation*

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

mud dam with 12" cement head box.

If for domestic use state number of families to be supplied *None*

7. Construction work will begin on or before *April - 1978*

8. Construction work will be completed on or before *April - 1979*

9. The water will be completely applied to the proposed use on or before *April 1979*

Application No. *56426*

Permit No. **42336**

Remarks:.....

.....
.....
.....
.....
.....
.....

John A. Chandler
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before December 27, 1977

WITNESS my hand this 25th day of October, 1977

James E. Sexson Water Resources Director

By *Larry Toll*
Larry Toll

RECEIVED
NOV 18 1977
WATER RESOURCES DEPT
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 15 day of August, 1977, at 8:00 o'clock A.M.

Application No. 56426

Permit No. 42336

18:00

Application No. 56426

Permit No.

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.85 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed creek.

The use to which this water is to be applied is supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 15, 1977, for 0.425 c.f.s., and November 18, 1977, for 0.425 c.f.s.

Actual construction work shall begin on or before January 4, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 4th day of January, 1978

James E. Saxon
Water Resources Director