CONTINUATE NO: 48667

WATER RECOURCES DIST CALEA, OREGON

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

K WEYERHAEUSER COMPANY, a Wash	ington corporation,
ofBox C	
(Mailing address)	(City)
State of Washington , 98401 , do herel	
following described public waters of the State of Oreg	gon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and p	lace of incorporation
January 18, 1900 State of Washingto	
1. The source of the proposed appropriation is	Klamath River (Name of stream)
a tuibuta	(Name of stream) ry of
	nds to apply to beneficial use is674
cubic feet per second (If water is to be used in	from more than one source, give quantity from each)
3. The use to which the water is to be applied i	sLog Sprinkling (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located90 ft.	S and 300 ft. E from the NE
corner of LQt 6 (Section	or subdivision)
<u></u>	•
(If preferable, give distance and b	earing to section corner)
(If there is more than one point of diversion, each must	·
being within the Lot 6 (Give smallest legal subdivision)	of Sec. 18 Tp. 39S
R. 9E , W. M., in the county of Klamath	
5. The pipe line	to be2350 feet
in length, terminating in the Lot 1 (Smallest legal subdivision)	(Miles or feet)
R8 $\mathbf{E}_{(\mathbf{E} \text{ or } \mathbf{W}.)}$, W. M., the proposed location being	shown throughout on the accompanying map.
DESCRIPTION	OF WORKS
Diversion Works—	
o. (a) Height of damNA feet, leng	th on top feet, length at bottom
feet; material to be used and character	of construction(Loose rock, concrete masonry
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate 2 trash rac	ks 6 1 x 8 1 in size nber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general descrip	tion 500 G.P.M. 210 T.D.H.
vertical turbine type pump driven by (Size and type of engine or motor to be used,	7. 40 H.P. electric motor total head water is to be lifted, etc.)
*A different form of application is provided where storage works are c	Ontampleted Such forms on he several with

fee usand feet. (b) At fe	et; depth of wat					
(b) At fe		adgate. At headgate: width on top (at water line) feet; grade feet; grade				
	mi	les from l	headgate: width on top (at wa	ter line)		
•	et; width on bo	tom	feet; depth of	water feet;		
	feet fall p	10 + مم	in nine. 1550 feet	6 in. pipe, 250 feet		
	f pipe,	Jt	.; size at intake,	. 111., 8126 41		
			of use in.; dij			
ike and place of	use,	ft.	Is grade uniform?	Estimated capacity,		
8. Location	sec. ft. of area to be irr	igated, or	place of use			
Township	Range E. or W. of Villamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated		
39S	9E	18	Lot 6 (SW4SW4)			
39S	8E	24	Lot 3 (NW4NE4)			
			Lot 8 (NE¼NE¼)			
39S	8E	13	Lot 1 (SE¼SE¼)			
			2			
		(If more	space required, attach separate sheet)			
(a) Charac	ter of soil					
(b) Kind o	f crops raised	NA				
ower or Mining	Purposes—					
		wer to be	developed	theoretical horsepowe		
(b) Que	antity of water	to be used	for power	sec. ft.		
(c) Tot	al fall to be uti	lized	(Head) feet.			
(d) The	e nature of the v	vorks by n	neans of which the power is to			
			(Legal subdivision)			
				•		
	, R(No.		ny stream?(Yes or No)			
			e point of return			
			, Tp			

Municipal or Domestic Supply—	42358	
10. (a) To supply the city of		
	ı of	
(Name of) and an estimated population of in 19	·	
(b) If for domestic use state number of families to	be supplied	
(Answer questions 11, 12, 13, and 14 in a	all cases)	
11. Estimated cost of proposed works, \$		
12. Construction work will begin on or before	• 1	
13. Construction work will be completed on or before	1	
14. The water will be completely applied to the proposed		
	AEUSER COMPANY	
	Dogenston Geneture of applicant)	
	itle Department Manager	
Remarks: This application is of and ad-		
vater over and above 0.446 c.f.s. covered		
acility and use are same except for incre		
oump will operate vertually 24 hours per d		
•		3
STATE OF OREGON,) ss.		
County of Marion, \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
This is to certify that I have examined the foregoing ap	oplication, together with the accompanying	
maps and data, and return the same for		
In order to retain its priority, this application must	be returned to the State Engineer, with	
corrections on or before, 19		
WITNESS my hand this day of	, 19	
	STATE ENGINEER	

PERMIT

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		NG RIGHTS and the f				. ,
		granted is limited to th				
		0.674 cubic fee		•		
stream		t in case of rotation wi				
		this water is to be appl				
		this appropriation shal				
		for each acre irrigate				
•		;				
						······

		such reasonable rotati				
		of this permit is				
	Actual constructi	on work shall begin on	or before	Januar	y 4, 1979	and shal
therea	fter be prosecuted	d with reasonable dilig	ence and be	completed or	n or before Oc	tober 1, 19.79
		tion of the water to the				
	WITNESS my ha	nd this4th day	y ofJan	uary	19.78	
			Wate	r Resource	s Director	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
						<u>(</u> 4
	7)	n the egon,			of	VEER.
.	BLIC	ved i				STATE ENGINEER Page
000	E PU	sale Sale				ятатя ——————————————————————————————————
2	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	first				
7	PERMIT PRIATE THE SS OF THE SF OREGON	: was Engine 1 of	ant:		ok No	
No.	PJ ROPH TERS OF	rment tate E day	pplic		n boc age	in No
42358 Permit No.	APP	instru the S	t to a	÷i	ded i	Basi
Ъ	OT	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Londay of That 19	Returned to applicant:	Approved:	Recorded in book No. Permits on page	STATE ENGINEER Drainage Basin No
		offi on t	Ret	Apı	Per	Dra

P*45693-11