

RECEIVED

JUN 21 1977

WATER RESOURCES DEPT
SALEM, OREGON

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Walter E. Lunceford (Name of applicant)
of P.O. Box 607 (Mailing address), O'Brien (City),
State of Oregon, 97534 (Zip Code), do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Wood Creek (Name of stream),
a tributary of Illinois River

2. The amount of water which the applicant intends to apply to beneficial use is .08
cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1230 ft. N and 670 ft. W from the SE
corner of Section 19 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 (Give smallest legal subdivision) of Sec. 19, Tp. 40 S,
R. 8W (E. or W.), W. M., in the county of Josephine

5. The Pipeline (Main ditch, canal or pipe line) to be 1500 (Miles or feet)
in length, terminating in the NE 1/4 SE 1/4 (Smallest legal subdivision) of Sec. 19, Tp. 40 S (N. or S.)
R. 8W (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____ (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____ (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Elec. Centrifugal (Size and type of pump)
Direct Connected 2" X 2" 6' lift (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2000

12. Construction work will begin on or before Feb. 1 1977

13. Construction work will be completed on or before April 1 1977

14. The water will be completely applied to the proposed use on or before Feb. 1 1978

Natty B. Lundford
(Signature of applicant)

Remarks: Property Desc. The West 416 feet of the following described property. A parcel of land in the East Half of the Southeast Quarter of section 19. Township 40 South. Range 8 West of the Willamette Meridian. Josephine County, Oregon. described as follows. Commencing at the point of intersection of the East line of Samarakand Drive and the South line of Waldo Road; thence Easterly along the South right of way line of Waldo Road 545 feet to a fence corner, the Northeast corner of property described in Volume 261, Page 614, Josephine County Deed Records, the true point of beginning of this description; thence South to the centerline of Woods Creek; thence Easterly along the centerline of Woods Creek to the East line of said Section 19; thence North along the East line of said section to the South right of way line of Waldo Road; thence Westerly along the South right of way line of said road to the true point of beginning. 40-8-19 PTL-2002 Code No. 5

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.08 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Woods Creek

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/50th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3/4 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 27, 1977

Actual construction work shall begin on or before January 4, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979.

Complete application of the water to the proposed use shall be made on or before October 1, 1980.

WITNESS my hand this 4th day of January, 1978.

James E. Larson
Water Resources Director

Application No. 56099
Permit No. 42367

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27 day of July 1977, at 1:00 o'clock P.M.

Returned to applicant:

Approved:

Recorded in book No. of

Permits on page

STATE ENGINEER

Drainage Basin No. page

Fees