

Application No. 56316

42388

Permit No.

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

I, James E. West and Sandra L. West
(Name of Applicant)of 562 Country Hill, Roseburg
(Mailing Address) (City)State of Oregon, 97470 Phone No. 673-6359 do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is North Umpqua River And
Un-named Spring #1, 1045, a tributary of Umpqua River
Spring #2, 1530 ft. N. and 3045 ft. W.2. The point of diversion is to be located 1530 ft. N. and 3045 ft. W.
(N. or S.) (E. or W.)
from the SE corner of SECTION 22
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

#3 NE SW
#4 SE 1/4 of the SE 1/4 of
Sec. 22 Tp. 26 S R. (W.M.), W.M., in the county of Douglas
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
26 S	6 W	22	NE $\frac{1}{4}$ of SW $\frac{1}{4}$	14 $\frac{9}{39}$ acres , 30-40 head cattle (stock)
		"	SW $\frac{1}{4}$ SW $\frac{1}{4}$	0 $\frac{39}{}$
		"	SE $\frac{1}{4}$ SW $\frac{1}{4}$	6 $\frac{89}{}$
		"	SE $\frac{1}{4}$ NW $\frac{1}{4}$	5 $\frac{51}{}$
		"	SW $\frac{1}{4}$ NW $\frac{1}{4}$	0 $\frac{53}{}$
				22
				18
				10
				8
				6
				4
				2
				1
				0

4. The amount of water which the applicant intends to apply to beneficial use is D. 36.75
cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is IRRIGATION (.36.25);
Stock (.005)

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Gravity flow (Spring)
perforated 55 gallon barrel in river with foot valve
& filter running to 15 h.p. electric 3 phase pump
Running 2600 ft. in permanently placed 2"
Rigid plastic pipe passing 100 ft. in elevation
to edge of property and stock tank -
Then regular 3" irrigation pipe with rain bird
heads Valley area of property as shown on map -

If for domestic use state number of families to be supplied _____

7. Construction work will begin on or before August 1977
8. Construction work will be completed on or before August 1978
9. The water will be completely applied to the proposed use on or before August 1979

Application No. 5631b

Permit No.

42388

Remarks: I have Received ASCS Funding to cultivate and re-seed 26 acres of my land into permanent pasture. I have for the past 8 years run about 25-30 head of cattle. The springs alone does not provide near enough water and Umpqua Basin water cost is prohibitive.

Signature of Applicant

James E. West
Donald S. West

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion and correction.

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before December 14, 1977.

WITNESS my hand this 14th day of October, 1977.

James E. Sexson Water Resources Director

By .. 
Vestal R. Garner

RECEIVED

OCT 24 1977
WATER RESOURCES DEPT
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

1 day of August, 1977, at 8:00 o'clock
A.M.

Application No. 56316

Permit No. 42388

181

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.35⁵ cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Umpqua River and a spring.

The use to which this water is to be applied is irrigation and stock; being 0.35 c.f.s. from North Umpqua River for irrigation, and 0.005 from spring for stock, with any deficiency in the available supply from the spring to be made up by diversion from North Umpqua River,

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2½ acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 1, 1977

Actual construction work shall begin on or before January 4, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19... 79

Complete application of the water to the proposed use shall be made on or before October 1, 19... 80

WITNESS my hand this 4th day of January , 19 79

James E. Sesson
Water Resources Director