

Superseded by

Cert. No. 53618

Application No. 56351

Permit No. 42390

STATE OF OREGON WATER RESOURCES DEPARTMENT RECEIVED

Application for Permit to Appropriate Surface Water AUG - 5 1977

WATER RESOURCES DEPT SALEM, OREGON

I, Floyd Laughrun (Name of Applicant)

of South Myrtle Rt., Box 206 Myrtle Creek (Mailing Address) (City)

State of Oregon 97457 Phone No. 863-4572 (Zip Code) do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is South Myrtle Creek and a spring

located on adjoining property tributary of Myrtle Creek #1: 1400 S 1790 E

2. The point of diversion is to be located #2: 1685 ft S and 1390 ft E (N. or S.) (E. or W.)

from the NW corner of Section 29 (Public Land Survey Corner)

POD #3: 2425' S, 1650' E from NW Corner of Sec. 29 being within SE 1/4 NW 1/4 of Sec. 29 (If there is more than one point of diversion, each must be described)

being within the SE 1/4 of the NW 1/4 of

Sec. 29 Tp. 29S R. 4W, W. M., in the county of Douglas (N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Row 1: 29S, 4W, 29, SE 1/4 NW 1/4, Stock; 15.0 acres; domestic

4. The amount of water which the applicant intends to apply to beneficial use is

cubic feet per second. from South Myrtle Creek + what is required
(if water is to be used from more than one source, give quantity from each)
for use in the home and garden, see #2 Remarks

5. The use to which the water is to be applied is irrigation (0.1875); stock (0.005);
..... domestic (0.005)

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

until I can get creek banks established I
will use a gasoline engine driven pump,
Montgomery Ward model # 24 WMC 2936 E 3 1/2
HP 2" outlet, to supply the 2" main
lines with branch lines of appropriate
size with sprinkler heads

When creek banks are established I
propose to use an electric pump and
bury a 2" main line with taps to
supply branch lines to sprinkler heads

Please call to Mrs. Laughran 10/23/77- she stated irrigation from
creek, most stock water from creek, domestic + a little stock
water from spring - Yes

If for domestic use state number of families to be supplied one

7. Construction work will begin on or before August 1, 1977

8. Construction work will be completed on or before August 1, 1978

9. The water will be completely applied to the proposed use on or before August 1, 1979

Application No. 56351

Permit No. 42390

#1

Remarks:

Land to be irrigated is part of the Boman homestead and has not been productively used for about 20 years. I have cleared, cleaned up, plowed and am ready to seed about 1/2 of the acreage described in this permit. Land will be used for hay, pasture and grain type crops to be used by the family.

Harold Laughlin
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before December 14, 1977.

WITNESS my hand this 14th day of October, 1977.

James E. Sexson, Water Resources Director

By *Vestal R. Garner*
Vestal R. Garner

RECEIVED

OCT 20 1977

WATER RESOURCES DEPT
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

5 day of August, 1977, at 8:00 o'clock

A.M.

Application No. 56351

Permit No. 42390

15000

Application No. 56351

Permit No. 42390

Permit to appropriate the Public Waters of the State of Oregon

18:00

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.2 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Myrtle Creek and a spring.

The use to which this water is to be applied is domestic use for one family, stock and irrigation; being 0.19 c.f.s. for irrigation and 0.004 c.f.s. for stock from South Myrtle Creek, and 0.005 c.f.s. for domestic use and 0.001 c.f.s. for stock from spring.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 5, 1977

Actual construction work shall begin on or before January 4, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 4th day of January, 1978

James E. Seaman
Water Resources Director

23