

RECEIVED

Permit No. 42393

MAR 20 1977

CERTIFICATE NO. 53525

WATER RESOURCES DEPT *APPLICATION FOR PERMIT
SALEM, OREGON

To Appropriate the Public Waters of the State of Oregon

I, Delbert E. Atkins
(Name of applicant)

of Route 4, Box 162, Coos Bay
(Mailing address) (City)

State of Oregon, 97420, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring
(Name of stream)

, a tributary of Ross Slough

2. The amount of water which the applicant intends to apply to beneficial use is 0.06
seven
cubic feet per second
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is 0.02 0.02 0.02
irrigation, stock water, ~~drinking~~
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

0.01
~~was for~~ domestic

4. The point of diversion is located 100' 200' ft. N and 200' 375' ft. W from the SE
(N. or S.) (E. or W.)
corner of SE 1/4 NW 1/4 of Section 6, within SE 1/4 NW 1/4 of Section 6, Township
(Section or subdivision)
26S, Range 12 West, Coos County.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the _____ of Sec. _____, Tp. _____
(Give smallest legal subdivision) (N. or S.)

R. _____, W. M., in the county of _____
(E. or W.)

5. The pipe line to be 1400 feet
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SE 1/4 NW 1/4 of Sec. 6, Tp. 26S
(Smallest legal subdivision) (N. or S.)

R. 12 N., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 4 feet, length on top 15 feet, length at bottom
12 feet; material to be used and character of construction timber crib
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate timber, one opening, 2"
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description gravity
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ^{1675'}~~500~~ ft.; size at intake, ^{1"}~~2"~~ in.; size at ^{750'}~~200~~ ft. from intake ^{3/4"} in.; size at place of use ^{3/4"} in.; difference in elevation between intake and place of use, ⁶⁰ ft. Is grade uniform? Yes. Estimated capacity, ^{7 Gals per Min.} sec-ft.

8. Location of area to be irrigated, or place of use See map attached

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
26S	12W	6	SE $\frac{1}{4}$ NW $\frac{1}{4}$	1.7A Stockwater, domestic water

(If more space required, attach separate sheet)

(a) Character of soil clay
 (b) Kind of crops raised lawn and vegetable garden, 13 head cattle

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (Head)
 (d) The nature of the works by means of which the power is to be developed
 (e) Such works to be located in of Sec.
 (Legal subdivision)

Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
 (Yes or No)
 (g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)
 (h) The use to which power is to be applied is
 (i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied One.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3,000.00.....

12. Construction work will begin on or before completed.....

13. Construction work will be completed on or before completed.....

14. The water will be completely applied to the proposed use on or before now being used.....

Richard Adams
(Signature of applicant)

Remarks: Water source has been in use for over 40 years.....

Not Now Being Used as Dairy Beef Crops Only

13 Head Beef Stock

4 Calves

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 12, 19 77.....

WITNESS my hand this 11th day of October, 19 77.....

JAMES E. SEXSON

STATE ENGINEER

By

James E. Sexson

ASSISTANT

RECEIVED

DEC 9 1977

WATER RESOURCES DEPT
SALEM, OREGON

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is irrigation, domestic use for one family, and livestock; being 0.02 c.f.s. for irrigation, and 0.01 c.f.s. for domestic use and livestock.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 22, 1977

Actual construction work shall begin on or before January 4, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979.

Complete application of the water to the proposed use shall be made on or before October 1, 1980.

WITNESS my hand this 4th day of January 1978

James E. Seaman
Water Resources Director

Application No. 55537
Permit No. 42293

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22 day of March 1977 at 11 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of
Permits on page

STATE ENGINEER

Drainage Basin No. 17 page 102
Fees