

Application No. 56479

Permit No. 42455

**STATE OF OREGON WATER RESOURCES DEPARTMENT**

**Application for Permit to Appropriate Surface Water**

WATER RESOURCES DEPARTMENT  
1100 NE Oregon Street  
Portland, Oregon 97232

I, W. B. Merchen

(Name of Applicant)

of P.O. Box 104

(Mailing Address)

P. W. - 175

(City)

State of Oregon

97466 (Zip Code)

Phone No. 439-3411

do hereby make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Bestul Creek

....., a tributary of N. Fork Coquille River

2. The point of diversion is to be located 396 ft. S and 2970 ft. W

(N. or S.)

(E. or W.)

from the NE corner of Sec 15 T28S R12W WM

(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

..... being within the NE  $\frac{1}{4}$  of the NW  $\frac{1}{4}$  of

Sec. 15 Tp. 28 S R. 12 W, W. M., in the county of COOS

(N. or S.)

(E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
T28S	R12W	15	SW $\frac{1}{4}$ NE $\frac{1}{4}$	DAIRY BARN Usage and Stock
" "	" "	" "	NW $\frac{1}{4}$ NE $\frac{1}{4}$	Stock

4. The amount of water which the applicant intends to apply to beneficial use is 0.02  
cubic feet per second. 0.01 cfs for stockwater, 0.01 cfs for dairy barn use  
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is dairy barn usage plus stockwater

6.

**DESCRIPTION OF WORKS**

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Gravity plastic pipe from Bestul Ct 1200 feet to  
8,000 gallon storage tank, thence 528 feet from said  
storage tank to places of use. Pipe used will be 1.25"

If for domestic use state number of families to be supplied N/A

7. Construction work will begin on or before Complete

8. Construction work will be completed on or before " "

9. The water will be completely applied to the proposed use on or before In Use

Application No. 56479

Permit No. 42455

Remarks:

Water to be used in dairy will be for washing down and cleaning up after milking, and for one toilet plus washing holding pen probably twice a week.

*W. R. Garner*  
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....correction and completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before .....December 19....., 19...77.....

WITNESS my hand this .....19th.... day of.....October....., 19...77.....

James E. Sexson..... Water Resources Director

By *Vestal R. Garner*  
Vestal R. Garner

RECEIVED  
NOV 7 1977  
WATER RESOURCES DEPT  
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

.....23.... day of .....August....., 19...77....., at .....11:00.... o'clock  
.....A.M.....

Application No. ....56479.....

Permit No. ....42455.....

Application No. 56479

Permit No. 42455

### Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Bestul Creek

The use to which this water is to be applied is stock and dairy use: being 0.01 c.f.s. for stock and 0.01 c.f.s. for dairy use.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 23, 1977

Actual construction work shall begin on or before January 12, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 12th day of January, 1978

James E. Sisson  
Water Resources Director