

4. The amount of water which the applicant intends to apply to beneficial use is 0.005

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Domestic use for one family

X 6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

2300 ft. of plastic pipe $\frac{3}{4}$ " from spring to steel reservoir; 1500 ft. of 1" plastic pipe from reservoir to house where it will be used for domestic use of one family including lawn & garden. This is a gravity system. (No pump required)

If for domestic use state number of families to be supplied one

7. Construction work will begin on or before.....

8. Construction work will be completed on or before.....

9. The water will be completely applied to the proposed use on or before now in use

Application No. 564-68

Permit No. 42457

Remarks:.....

.....
.....
.....
.....
.....
.....
.....
.....

x *Lynn Lockwood*
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the *25th* day of *October*, 19*77*, at *8:00* o'clock *A.M.*

Application No. *56468*

Permit No. *42457*

10705

Application No. 56468

Permit No. 42457

Permit to Appropriate the Public Waters of the State of Oregon

1572

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic use for one family.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 22, 1977

Actual construction work shall begin on or before January 12, 1979 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 12th day of January, 1978

James E. Larson
Water Resources Director

157