

Application No. 56745

Permit No. 42463

STATE OF OREGON WATER RESOURCES DEPARTMENT
Application for Permit to Appropriate Surface Water

I, Harry Calvin (Name of Applicant)
of P.O. Box 31 (Mailing Address), Seaside (City)
State of Oregon (Zip Code) 97138 Phone No. 503-2326 do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Two Springs
, a tributary of Rowell Creek

2. The point of diversion is to be located #1 540 ft. N (N. or S.) and 330 ft. E (E. or W.)
from the SE corner of DLC #49 (Public Land Survey Corner)
#2 350' N 500' E from the Dame Canal
(If there is more than one point of diversion, each must be described)

being within the NW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of
Sec. 33 Tp. 6 S R. 1 E, W. M., in the county of Martin
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
<u>6 S</u>	<u>1 E</u>	<u>33</u>	<u>NW NE</u>	

4. The amount of water which the applicant intends to apply to beneficial use is 0.01

cubic feet per second. being 0.005 cfs from each spring
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Domestic including

irrigation of home & non commercial garden plots except acre in area

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

1 1/2" 600' PVC

holding tank about 5' diameter

2 5 or 6' tall

If for domestic use state number of families to be supplied

7. Construction work will begin on or before

8. Construction work will be completed on or before

9. The water will be completely applied to the proposed use on or before completed

Application No. 56745

Permit No. 42463

1516

Remarks:

same spring as described in certificate

24808

PREPARED BY: *[Signature]*

FROM INFORMATION FURNISHED BY THE APPLICANT.

for *[Signature]*
[Signature]
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the *6th* day of *October*, 19 *77*, at *1:45* o'clock *P.M.*

Application No. *56745*

Permit No. *42463*

[Stamp]

[Stamp]

Application No. 56745

Permit No. 42463

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from two springs; being 0.005 c.f.s from each spring.

The use to which this water is to be applied is domestic use for one family including the irrigation of lawn and garden not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 11, 1977

Actual construction work shall begin on or before January 20, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 20th day of January, 1978

Jama E. Sisson
Water Resources Director

RHK 5