

Application No. 55977

Permit No.....**42539**

RECEIVED
STAT

MAY 25 1977

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

WATER RESOURCES DEPT

SALEM, OREGON

I, City of Klamath Falls - Parks, Recreation & Cemeteries Department

(Name of Applicant)

of..... 226 South 5th Street.

Klamath Falls

(Mailing Address)

(City)

State of.....Oregon.

97601

Phone No. _____

884-3161

. do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is.....The Link River

....., a tributary of the Klamath River.

2. The point of diversion is to be located588 ft.south.... and1912 ft.east.....

(N. or S.)

(E. or W.)

from the west $\frac{1}{4}$ corner of Section 32, T38S, R9E, WM

(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

..... being within the NW ¼ of the SE ¼ of

Sec. 32 Tp. 38S R. 9E, W. M., in the county of Klamath
(N. or S.) (E. or W.)

(N. or S.)

(E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

[illegible]

4. The amount of water which the applicant intends to apply to beneficial use is 0.11 cfs
cubic feet per second..... over 120-day irrigation period
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is irrigation

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Byron and Jackson 25 HP turbine pump @ 300 gal/min. capacity. Six inch
discharge pipe to 12-station below-ground timer-controlled and manual
irrigation station.

If for domestic use state number of families to be supplied completed

7. Construction work will begin on or before Summer of 1959

8. Construction work will be completed on or before Summer of 1959


9. The water will be completely applied to the proposed use on or before

Application No. 55977

Permit No. 42539

Remarks: We have been using irrigation water since 1948 when a portable pump was used. Present system was installed in 1959 and has been used ever since. Former personnel were unaware that a permit was required.

After consulting with Klamath County Water Master, we were advised to make application for this water use. An agreement, signed by the City of Klamath Falls and the State Highway Department on March 11, 1965, exists for their water use at the Main Street connection.



Signature of Applicant

George C. Flitcraft, Mayor

5-24-77

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

25 day of May, 1977, at 8 o'clock

A.M.

Application No. 55977

Permit No. 42539

Application No. 55977

Permit No. 42539

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.11 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Link River

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 25, 1977

Actual construction work shall begin on or before February 2, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 2nd day of February, 1978

James E. Nelson
Water Resources Director