

Application No. 56660

Permit No. 42563

RECEIVED

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

DE 1977
WATER RESOURCES
DIVISION
STATE OF OREGON

I, Everett W. & Shirley M. Cushman
(Name of Applicant)

of RT. 1 Box 1152
(Mailing Address), Bandon
(City)

State of Oregon 97411 Phone No. none do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is 2 unnamed streams

....., a tributary of Lost Lake

2. The point of diversion is to be located 250 350 ft. N. and 1840 1220 ft. W.
(N. or S.) (E. or W.)

from the 5/4 corner of Section 25
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

..... being within the SW SE 1/4 of the SW 1/4 of
Sec. 25 Tp. 29S. R. 15W., W. M., in the county of Coos
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
<u>Primary Irrigation</u>				
<u>29S</u>	<u>15W</u>	<u>25</u>	<u>NE SW</u>	<u>40.0</u>
			<u>SW SW</u>	<u>20.0</u>
			<u>SE SW</u>	<u>40.0</u>
			<u>NW SE</u>	<u>8.0</u>
			<u>SW SE</u>	<u>35.0</u>
<u>Supplemental Irrigation, Frost Control & Harvesting</u>				
<u>29S</u>	<u>15W</u>	<u>25</u>	<u>SW SE</u>	<u>5.0</u>
				<u>148.0</u>

4. The amount of water which the applicant intends to apply to beneficial use is 3.16.....

cubic feet per second. being 1.78 cfs @ 1/80 per ac. 0.13 cfs @ 1/40 per ac.
(If water is to be used from more than one source, give quantity from each)
0.5 cfs for Flood Harvesting & 0.75 cfs for Frost protection. Further being 1/2 the water from each stream

5. The use to which the water is to be applied is Irrigation of 193 ac. & Suppl. Irrigation, Harvesting, Frost Control for 5^o ac. Cranberries

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

2 portable 7 1/2 or 10 hp motors & pumps,
5" & 4" buried plastic pipe,
2" & 3" laterals -

Portable sprinkler system on 193 ac
primary Irrig -

Solid set sprinklers on 5^o ac Cranberries

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before is in progress

8. Construction work will be completed on or before 10/1/80

9. The water will be completely applied to the proposed use on or before 10/1/81

Application No. 56660

Permit No. 42563

Remarks:

Supplemental to Cert. 26150
on 5^o ac in the SW¹/₄ SE¹/₄ Sec. 25

Everett W. Cushman
Signature of Applicant
Shirley M. Cushman

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

29th day of *December*, 19*77*, at *11:00* o'clock
A.M.

Application No. *56660*

Permit No. **42563**

Application No. 56660

Permit No. 42563

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.91 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from two unnamed streams.

The use to which this water is to be applied is irrigation, cranberry harvesting, and frost protection; being 1.91 c.f.s. for irrigation, 0.25 c.f.s. for harvesting and 0.75 c.f.s. for frost protection, being half from each stream.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre feet per acre for each acre irrigated during the irrigation season of each year, for cranberries. If for the irrigation of any other crop, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 27, 1977

Actual construction work shall begin on or before February 2, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 2nd day of February, 1978

James E. Saxon
Water Resources Director