

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate, width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
9S	1W	18	SE 1/4 NE 1/4	30 Pri
			NE 1/4 SE 1/4	0 ⁸ Pri & Stock
			NE 1/4 SE 1/4	32³ suppl R.G.T.
			SE 1/4 SE 1/4	7² suppl
				43³ TOTAL
9S	1W	18	NE 1/4 SE 1/4	Stock R.G.T 6/15/77

(If more space required, attach separate sheet)

(a) Character of soil ROCKY SANDY loam

(b) Kind of crops raised CANNEY CROPS & GRAIN

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before COMPLETE
- 13. Construction work will be completed on or before "
- 14. The water will be completely applied to the proposed use on or before Oct 1, 1977

Robert A. Thomas
(Signature of applicant)

Remarks: I would like for this to show that if any valid right is found under Santiam Water Control District this application would be supplemental to that right. Pond is not used for water storage. It is only used to accumulate enough for the next days pumping two water tanks on east side of Barn. Water is pumped to these tanks from pond. Maximum of 25 cattle. The drain tile was put in to replace a surface drainage in a small draw. This runs NEly from the pond. This application is to cover lands not included under permit 20027

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 8, 1977

WITNESS my hand this 8th day of June, 1977

RECEIVED
JUN 15 1977
WATER RESOURCES DEPT.
SALEM, OREGON

JAMES E. SEXSON
Director
By *Vestal R. Garner*
Vestal R. Garner

PERMIT

STATE OF OREGON,)
County of Marion,) ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.055 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed drain tile

The use to which this water is to be applied is irrigation and stock; being 0.05 c.f.s. for irrigation, and 0.005 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 14, 1977

Actual construction work shall begin on or before February 13, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979.

Complete application of the water to the proposed use shall be made on or before October 1, 1980.

WITNESS my hand this 13th day of February, 1978.

James E. Seaman
Water Resources Director

BC
Application No. 55473
Permit No. 42611

PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14 day of MARCH, 1977, at 9:17 o'clock A. M.

Returned to applicant: _____

Approved: _____

Recorded in book No. _____ of _____

Permits on page _____

STATE ENGINEER

Drainage Basin No. 2 page 50-0

Fees \$10.00