

Application No. 55429

Permit No. 42639 RECEIVED

STATE OF OREGON WATER RESOURCES DEPARTMENT JAN 16 1978
WATER RESOURCES DEPT.
Application for Permit to Appropriate Surface Water SALEM, OREGON

I, Bob and Roberto Jean Nixon
(Name of Applicant)
of 96313 Hulbert Lake Rd, Junction City
(Mailing Address) (City)
State of Oregon, 97448 Phone No. do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Graham Lake
....., a tributary of Long Tom River

2. The point of diversion is to be located 150 ft. N. and 550 ft. W.
(N. or S.) (E. or W.)
from the SE corner of Section 10
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

..... being within the SE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of
Sec. 10 Tp. 15S. R. 5W., W. M., in the county of Lane
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
<u>Primary Irrigation</u>				
<u>15S</u>	<u>5W</u>	<u>10</u>	<u>NE SE</u>	<u>22.2</u>
			<u>SE SE</u>	<u>31.0</u>
		<u>11</u>	<u>NW SW</u>	<u>1.1</u>
			<u>SW SW</u>	<u>12.2</u>
		<u>15</u>	<u>NE NE</u>	<u>36.0</u>
<u>Supplemental Irrig.</u>				
<u>15S</u>	<u>5W</u>	<u>10</u>	<u>NE SE</u>	<u>15.8</u>
		<u>11</u>	<u>NW SW</u>	<u>38.9</u>
			<u>SW SW</u>	<u>27.8</u>

~~102.5~~
~~82.5~~

Total 185.0 ac.

"CERTIFICATE NO. 65284"

4. The amount of water which the applicant intends to apply to beneficial use is 2.31

cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Irrigation of 102.5 acres
and Supplemental Irrigation of 82.5 acres

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Diesel powered portable pump 8" intake
6" discharge
8" portable main line
portable sprinkler system

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before..... complete

8. Construction work will be completed on or before..... complete

9. The water will be completely applied to the proposed use on or before..... 10/1/80

Application No. 55429

Permit No. 42639

Remarks: Supplemental to permits 33354 & ~~33~~
33417

x *Bob Nison*
Signature of Applicant
x *Jean Nison*

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the day of, 19....., at o'clockM.

Application No. 55429

Permit No. 42639

10/11/11

Application No. 55429

Permit No. 42639

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.31 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Graham Lake.

The use to which this water is to be applied is irrigation and supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 13, 1978

Actual construction work shall begin on or before March 1, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 1st day of March, 1978

James E. Seaman
Water Resources Director