

4. The amount of water which the applicant intends to apply to beneficial use is 0.03 cubic feet per second. 0.01 C.F.S. for stock from each pond AND SPRING N.K. 9-9-74
(If water is to be used from more than one source, give quantity from each) STREAM.

0.01 C.F.S. for Dom. from spr 2

5. The use to which the water is to be applied is stock water + Dom. enc. 1/2 a lawn + garden

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

stock drink directly from ponds. Dom. use Gravity system

If for domestic use state number of families to be supplied One family

7. Construction work will begin on or before Complete

8. Construction work will be completed on or before Complete

9. The water will be completely applied to the proposed use on or before Complete

Application No. 56818

Permit No. 42698

Remarks:.....
.....
.....
.....
.....
.....
.....
.....
.....

Mellie G. Kendall
Signature of Applicant
C. W. Kendall

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... correction and completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before February 13, 19 78.....

WITNESS my hand this 12th day of..... December, 19 77.....

JAMES E. SEXSON Water Resources Director

By *Donald R. Buell*.....
DONALD R. BUELL

RECEIVED
FEB 16 1978

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 3RD day of NOVEMBER, 19 77, at 11:19 o'clock A.M.

Application No. 56818.....

Permit No. 42698.....

Application No. 56818

Permit No. 42698

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring, 2 unnamed spring streams, and ponds # 1 and # 2 to be constructed under application No. R 56817, permit No. R 6770.

The use to which this water is to be applied is domestic use for one family including the irrigation of lawn and garden not to exceed 1/2 acre in area, and stock; being 0.01 c.f.s. from spring for domestic use, and 0.01 c.f.s. from each spring stream and storage in ponds # 1 and # 2 for stock.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 3, 1977

Actual construction work shall begin on or before March 10, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 10th day of March, 1978

James E. Devo Water Resources Director

REV S