

Application No. 55630Permit No. 42717**STATE OF OREGON WATER RESOURCES DEPARTMENT****Application for Permit to Appropriate Surface Water**I, ROBERT R. + MARIANNE C. ROTH
(Name of Applicant)of ROUTE 1, BOX 29A, HAINES
(Mailing Address) (City)State of OREGON, 97833, Phone No. (503) 856-3511
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is SWAMP DRAIN PIPE #1 AND
TWO UNNAMED STREAMS tributary of P-G-4759 SUMP
THREE (3) UNNAMED SPRINGS2. The point of diversion is to be located 1660 ft. N and 75 ft. W
from the S 1/4 corner of SECTION 2 (SWAMP DRAIN PIPE #1)
(FOR THE SPRINGS - SEE ATTACHED SHEET)(If there is more than one point of diversion, each must be described)
UNNAMED STREAM DIVERSION INTO SWAMP IS LOCATED ABOUT 1650' N &
32' W FROM S 1/4 CORNER SEC 2.being within the NE 1/4 of the SW 1/4 of
Sec. 2, Tp. 85 R. 38E, W.M., in the county of BAKER

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 of Section	List use and/or number of acres to be irrigated
			PRIMARY	
85	38E	2	SE 1/4 of SW 1/4	22 11 0
			SUPPLEMENTARY	
85	38E	2	SE 1/4 of SW 1/4	2 15
85	38E	2	NE 1/4 of SW 1/4	1
85	38E	2	NW 1/4 of SW 1/4	75 14 0
85	38E	2	SW 1/4 of SW 1/4	22 24 0
85	38E	2	NE 1/4 SW 1/4	Domestic

4. The amount of water which the applicant intends to apply to beneficial use is 1.53

cubic feet per second. DRAIN PIPE #1 = 405 g.p.m., Spring #1 = 90 g.p.m,
~~UNNAMED STREAM~~ (If water is to be used from more than one source, give quantity from each)
~~Spring #2 = 90 g.p.m, Spring #3 = 90 g.p.m.~~ Spring #1 10 gpm ^{for} Domestic

5. The use to which the water is to be applied is IRRIGATION and

Supplemental Irrigation and Domestic

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

50 H.P. HIGH HEAD CENTRIFIGAL 3 PHASE ELECTRIC PUMP

1/4 MILE 5" MAINLINE

1/4 MILE 4" MAINLINE

1/2 MILE 3" HANDLINE

Domestic system uses about 1/2 miles of 1 1/2" pipe

If for domestic use state number of families to be supplied One

7. Construction work will begin on or before MAY 1, 1977

8. Construction work will be completed on or before MAY 1, 1978

9. The water will be completely applied to the proposed use on or before MAY 1, 1978

Application No. 55630

Permit No.

42717

SPRING # 1

Application No. 55630

(Attach separate sheet if necessary)

NOTE: Answer questions 14, 15, 16 and 17, if the application is for change in point of diversion.

Permit No. 42717

14. The proposed point of diversion is located 380 ft. N and 1320 ft. W from the S 1/4
(N. or S.) (E. or W.)
corner of Sec 2 being within the SE 1/4 SW 1/4 of Section 2. Tp. 85 R. 38E W. M.,
(Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

in the county of BAKER. The name of the ditch to be used is _____

15. Are you the owner of the land on which the proposed point of diversion is to be located? YES

16. If not the owner of the land on which the proposed point of diversion is to be located, give the name
and address of owner and submit evidence of your right-of-way for your proposed ditch, canal, or pipe line.

17. Are there any diversions between your present point of diversion and the proposed point of diversion?
NO

SPRING # 2

Cunnamed Str)

(Attach separate sheet if necessary)

NOTE: Answer questions 14, 15, 16 and 17, if the application is for change in point of diversion.

14. The proposed point of diversion is located 450 ft. N and 1300 ft. W from the S 1/4
(N. or S.) (E. or W.)
corner of Sec 2 being within the SW 1/4 SW 1/4 of Section 2. Tp. 85 R. 38E W. M.,
(Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

in the county of BAKER. The name of the ditch to be used is _____

15. Are you the owner of the land on which the proposed point of diversion is to be located? YES

16. If not the owner of the land on which the proposed point of diversion is to be located, give the name
and address of owner and submit evidence of your right-of-way for your proposed ditch, canal, or pipe line.

17. Are there any diversions between your present point of diversion and the proposed point of diversion?
NO

SPRING # 3

(Attach separate sheet if necessary)

NOTE: Answer questions 14, 15, 16 and 17, if the application is for change in point of diversion.

14. The proposed point of diversion is located 1750 ft. N and 1250 ft. W from the S 1/4
(N. or S.) (E. or W.)
corner of Sec 2 being within the NE 1/4 SW 1/4 of Section 2. Tp. 85 R. 38E W. M.,
(Smallest legal subdivision) (No. N. or S.) (No. E. or W.)



in the county of BAKER. The name of the ditch to be used is _____

15. Are you the owner of the land on which the proposed point of diversion is to be located? YES

16. If not the owner of the land on which the proposed point of diversion is to be located, give the name
and address of owner and submit evidence of your right-of-way for your proposed ditch, canal, or pipe line.

17. Are there any diversions between your present point of diversion and the proposed point of diversion?
NO

Remarks: THE SWAMP AND ALL THREE (3) SPRINGS
ORIGINATE ON OUR LAND and will all be
diverted into sump (G-4759) and used on
all the land being applied for.


Robert R. Roth

Marianne C. Roth

Signature of Applicant


This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....correction and completion.

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or beforeAugust 1....., 19....77.....
October 24.....77.....

WITNESS my hand this1st..... day ofJune....., 19....77.....
22nd..... August..... 77.....

JAMES E. SEXSON..... Water Resources Director

RECEIVED

By 
Vestal R. Garner

JULY 21 1977

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED
JULY 21 1977

WATER RESOURCES DEPT
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
.....7..... day ofApril....., 19....77....., at8..... o'clock
.....A.M.....

Application No. 55630

Permit No. 42717

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.295 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a surface drainage tile an unnamed stream and two springs; being 0.69 c.f.s. from the drain tile, 0.2 c.f.s. from the unnamed stream, 0.205 c.f.s. from spring # 1, and 0.2 c.f.s. from spring # 3

The use to which this water is to be applied is irrigation, supplemental irrigation and domestic use for one family; being 1.29 c.f.s. for irrigation, and 0.005 c.f.s. for domestic use from spring # 1

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3½ acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 7, 1977, for irrigation,
October 24, 1977, for domestic use
Actual construction work shall begin on or before March 10, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979.

Complete application of the water to the proposed use shall be made on or before October 1, 1980.

WITNESS my hand this 10th day of March , 1978.

James E. Benson
Water Resources Director