

Application No. 56311

Permit No. 42745

# STATE OF OREGON WATER RESOURCES DEPARTMENT

## Application for Permit to appropriate Surface Water

I, DENNIS C. BEETHAM  
(Name of Applicant)

of 560 LARSON WAY, NORTH BEND  
(Mailing Address) (City)

State of OREGON, 97459 Phone No. 756-4470 do hereby  
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is LARSON SLOUGH & UNNAMED STREAMS SPRINGS  
a tributary of LARSON SLOUGH

2. The point of diversion is to be located SEE BELOW FOR 7 sources ft. and SEE BELOW FOR 7 sources ft.  
from the SEE BELOW FOR 7 sources corner of SEE BELOW FOR 7 sources  
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

- ① 700 FT. W. & 1300 FT. S. OF N.W. CORNER OF SECTION 29
  - ② 200 FT. W. & 500 FT. S. OF N.W. CORNER OF SECTION 29
  - ③ 300 FT. E. & 700 FT. S. OF N.W. CORNER OF SEC. 29
  - ④ 900 FT. E. & 700 FT. S. OF N.W. CORNER OF SEC. 29
  - ⑤ 1200 FT. E. & 1200 FT. S. OF N.W. CORNER SEC. 29
  - ⑥ 1500 FT. E. & 700 FT. S. OF N.W. CORNER OF SEC. 29
  - ⑦ 1600 FT. E. & 100 FT. S. OF N.W. CORNER OF SECTION 29
- being within the SEE MAP 1/4 of the 1/4 of

Sec. 29 & 30 Tp. 24 S R. 12 W, W. M., in the county of CLATSOP  
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated	(1) SOURCE OF WATER
24	12	30	N.E 1/4 OF N.E 1/4	DOMESTIC USE	- source 7
24	12	30	N.E 1/4 OF N.E 1/4	16 ACRES - PASTURE	1/2 source 1 1/2 source 2
24	12	30	S.E 1/4 OF N.E 1/4	15 ACRES - PASTURE	source 1
24	12	30	N.E 1/4 OF S.E 1/4	5.5 ACRES - PASTURE	source 1
24	12	29	N.W 1/4 OF N.W 1/4	12 ACRES - PASTURE	source 3, 4 & 5
24	12	29	N.E 1/4 OF N.W 1/4	6 ACRES - PASTURE	source 6
<del>24</del>	<del>12</del>	<del>29</del>	<del>N.E 1/4 OF N.W 1/4</del>	<del>HOUSE</del>	
					(1) SEE MAP FOR WATER SOURCE by Numbers 1-7

4. The amount of water which the applicant intends to apply to beneficial use is .....

cubic feet per second. SOURCE (1) - 204 GALS/MIN. / SOURCE (2) - 16 GAL. MIN. / SOURCE (3) - 46 GALS/MIN.  
(If water is to be used from more than one source, give quantity from each)  
SOURCE (4) - 40 GALS/MIN. / SOURCE (5) - 30 GALS/MIN. / SOURCE (6) - 35 GALS/MIN.  
SOURCE (7) - 5 GALS/MIN.

5. The use to which the water is to be applied is ..... DOMESTIC ~~& AGRICULTURE~~ including irrigation of lawn and garden not exceeding 1/2 acre, and agricultural irrigation.

6. DESCRIPTION OF WORKS (NOT 9 SOURCES SHOWN ON MAP e.g. 1)

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

SOURCE (1) PORTABLE GAS PUMP WITH 3" PORTABLE LINE UNDER ROAD TARP EXISTING DRAIN CULVERT. SOURCE IS LARSON SLOUGH. PORTABLE 3" RAIN BIRD ALUMINUM PIPING & SPRINKLER SYSTEM. 15 H.P. PUMP (2 1/2 X 2)

SOURCE (2) ELECTRIC PUMP FROM UNNAMED STREAM - 1 1/4" PLASTIC LINE UNDER GROUND TO CONVEY WATER FOR FRUIT TREES & PASTURE.

SOURCE (3) PORTABLE GAS PUMP (2 1/2 X 2) WITH 15 H.P. PORTABLE 3" ALUMINUM PIPING PUMPING FROM STREAM (NO NAME).

SOURCE 4 SAME AS SYSTEM IN 3

SOURCE 5 SAME AS SYSTEM IN 3

SOURCE 6 SAME AS SYSTEM IN 3

SOURCE 7 CEDAR SPRING BOX 3 FT. X 2 FT. X 3 FT DEEP WHICH CONTAINS SPRING AND 1" PIPING TO 350 GALLON RESERVOIR TANK WHICH SUPPLIES DOMESTIC WATER THRU 1" PLASTIC LINE TO HOUSE. EXCESS OVER FLOW RUNS TO NO-NAME STREAM - PROVIDES 55 PSIG AT HOUSE WITH GRAVITY HEAD.

If for domestic use state number of families to be supplied ..... 1 FAMILY

7. Construction work will begin on or before JULY 30 1977

8. Construction work will be completed on or before JULY 30 1979

9. The water will be completely applied to the proposed use on or before JULY 30 1979

Application No. 56311

Permit No. 42745

Remarks: THE SPRING IN SOURCE 7 has ALREADY been supplying DOMESTIC WATER FOR 50 years. HOWEVER we rebuilt system IN JUNE 1977.

THE LEGEND FOR THE MAP ENCLOSED IS AS FOLLOWS:

SCALE = 1" = 1000 FT.

PLEASE NOTE:

① INDICATES WATER SOURCE

SOLID LINE INDICATES STREAM

--- UNIMPROVED ROAD

== GOOD DIRT ROAD

GREEN AREA IS FOR IRRIGATED LANDS

RED LINE INDICATES PROPERTY LINE.

*[Signature]*

Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before December 19, 1977, April 10, 1978

WITNESS my hand this 18th day of October, 1977, 9th day of February, 1978

James E. Sexson Water Resources Director

By *[Signature]*  
Larry Toll

RECEIVED

FEB 17 1978

WATER RESOURCES DEPT  
SALEM, OREGON

RECEIVED

FEB 17 1978

WATER RESOURCES DEPT.  
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

29 day of July, 1977, at 11:00 o'clock

A.M.

Application No. 56311

Permit No. 42745

### Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.70 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Larson Slough, unnamed stream # 1, unnamed stream # 2, and spring.

The use to which this water is to be applied is domestic use for one family including the irrigation of lawn and garden not to exceed 1/2 acre in area, and irrigation; being 0.01 c.f.s. from spring for domestic use, 0.36 c.f.s. for irrigation from Larson Slough, 0.25 c.f.s. from unnamed stream # 1, and 0.08 c.f.s. from unnamed stream # 2, for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 3, 1978

Actual construction work shall begin on or before March 10, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 10th day of March, 1978

*James E. Sexton*  
Water Resources Director

2412