

SM-

RECEIVED

Permit No. 42754

WATER RESOURCES DEPT
SALEM, OREGON

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Little Jack Falls Water District Improvement Company
of Rt. 3, Box 1071, Rainier
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation April, 1975
State of Oregon, Columbia County

1. The source of the proposed appropriation is Two unnamed springs, North and South Spring, a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 0.04 cubic feet per second 0.02 cubic foot per second from each spring

3. The use to which the water is to be applied is domestic use for 8 families including irrigation of not to exceed 1/2 acre of lawn and garden

4. The point of diversion is located ft. and ft. from the S1/4 corner of section 26 north and south springs same as permit # 29797
South Spring: N466' W793' from quarter corner common to sec. 26 and 35
T. 7N., R. 2W. of Willamette Meridian Col. Co. Oregon.

North Spring: N.E. 1/4 section 26 within Galloway D10 41; T. 7N., R. 2W.; W.M. 1480' N. and 310' W. From S 1/4 corner of sec. 26
being within the S.E. 1/4 S.W. 1/4 of Sec. 26 of Tp. 7 N. R. 2 W., W. M., in the county of Columbia

5. The same as Permit # 29797 to be in length, terminating in the of Sec. of Tp. R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description same as Permit # 29797
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
7 N	2 W	26	N.W. 1/4 S.E. 1/4	5 families inc. trailer
			S.W. 1/4 S.E. 1/4	2 families
			S.E. 1/4 S.W. 1/4	1 family

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 8 families; not to
exceed irrigation for 1/2 acre lawn and gardens

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$...same of Permit # 29797
- 12. Construction work will begin on or before completed
- 13. Construction work will be completed on or before completed
- 14. The water will be completely applied to the proposed use on or before completed

Edward T. Blower, President

(Signature of applicant)

Edward T. Blower

Remarks: We wish to make application for water rights on the 2 above
mentioned springs. This application to take the place of permit # 29797
as placed by Charles M. Kelly which to our understanding has been canceled
because Mr. Charles M. Kelly is no longer using the water and has made no
effort to transfer the application to the Little Jack Falls Water District
Improvement Company.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from two springs; being 0.02 c.f.s. from North Spring and 0.02 c.f.s. from South spring.

The use to which this water is to be applied is domestic use for 8 families, including the irrigation of lawn and garden not to exceed 1/2 acre in area for each family.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 23, 1977

Actual construction work shall begin on or before April 3, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980.

Complete application of the water to the proposed use shall be made on or before October 1, 1981.

WITNESS my hand this 3rd day of April, 1978.

James E. Seymour
Water Resources Director

Application No. 55540
Permit No. 42754

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23 day of March, 1977, at 11 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. of

Permits on page

STATE ENGINEER

Drainage Basin No. 1 page 6w

Fees