

Application No. 56896

Permit No. 42777

RECEIVED STATE OF OREGON WATER RESOURCES DEPARTMENT

DEC 2 1977 Application for Permit to Appropriate Surface Water

WATER RESOURCES DEPT

SALEM, OREGON I, Kathryn E. See

(Name of Applicant)

of 10734 Cooper Spur Road Parkdale
(Mailing Address) (City)

State of Oregon, 97041 Phone No. None do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Doe Creek and an Unnamed stream tributary
Of Doe Creek, a tributary of East Fork Hood River

#1 130 N 130 E

2. The point of diversion is to be located #2 2254 ft. N and 0 ft. E
(N. or S.) (E. or W.)

BOTH from the South Quarter corner of Section 6
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

#1 SW SE

being within the #2 NW 1/4 of the SE 1/4 of

Sec. 6 Tp. 2 S R. 10 E, W. M., in the county of HOOD RIVER
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
2 S	10 E	6	DOE CREEK NW 1/4 SE 1/4	3.4
			UNN. STREAM SW 1/4 NE 1/4	DOMESTIC ①
			NE 1/4 SW 1/4	0.7
			SE 1/4 SW 1/4	1.7
			NW 1/4 SE 1/4	0.6 DOMESTIC ②
			SW 1/4 SE 1/4	0.6
			SUPP. UNN STREAM NW 1/4 SE 1/4	3.4

4. The amount of water which the applicant intends to apply to beneficial use is 0.14
cubic feet per second.....0.04 fr. Doe Creek.....&.....0.10 fr. Unnamed Stream.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is0.13 for Irrigation & 0.01 for Domestic
.....0.04 Doe Creek, Irrigation: 0.09 Unn. Stream, Irr. & Supp. Irr: 0.01 Unn. Stream, Dom.

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

.....The creek bed is 3 feet wide at this point, 8" thick concrete.....
.....dam 12 feet long and 4 feet high with over flow spillway.....
.....will dam creek, 4' x 6' concrete splash pad below dam will.....
.....prevent washout, 8" thick concrete box reservoir (6' cube).....
.....20 feet north of dam will provide holding tank, Vertical drop.....
.....from the reservoir to the lowest point on the property is in excess.....
.....of 160 feet. Water will be gravity fed through 4" diameter P.V.C.....
.....pipe to points of distribution.....

.....Doe Creek is primary on the 3.4 acres in the NW $\frac{1}{4}$, SE $\frac{1}{4}$, Section 6 with.....
.....any deficiency in the available supply of Doe Creek to be made up from.....
.....the Unnamed stream. The Unnamed stream will also be used for primary irrigation.....
.....of 3.6 acres between the SW $\frac{1}{4}$ AND THE SE $\frac{1}{4}$ of section 6, and domestic use.....
.....of three families.....

If for domestic use state number of families to be supplied 3

7. Construction work will begin on or before August 1, 1978

8. Construction work will be completed on or before August 1, 1979

9. The water will be completely applied to the proposed use on or before August 1, 1979

Application No. 56896

Permit No. 42777

Remarks:.....
.....
.....
.....
.....
.....
.....
.....
.....

THIS APPLICATION PREPARED BY:
Thae JRO
FROM INFORMATION FURNISHED BY
THE APPLICANT.

X Kathryn E. See
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before May 1....., 19...78.....

WITNESS my hand this ...1st..... day of..... March....., 19...78.....

James E. Sexson..... Water Resources Director

By
Larry Toll

RECEIVED
MAR 7 1978
WATER RESOURCES DEPT.
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
2nd day of December....., 19...77....., at 11:00 o'clock
A.M.

Application No. 56896

Permit No. 42777

Application No. 56896

Permit No. 42777

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream and Doe Creek, with any deficiency in the available supply from Doe Creek to be made up by diversion from unnamed stream, being 0.04 c.f.s for irrigation from Doe Creek, 0.05 c.f.s for irrigation and 0.01 c.f.s for domestic use from unnamed stream. The use to which this water is to be applied is irrigation and domestic use for 3 families.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 2, 1977

Actual construction work shall begin on or before April 3, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 3rd day of April, 1978

James E. Seum
Water Resources Director