

Application No. **56441**

Permit No. **42813**

REGISTRATION
 285 3157
 WATER RESOURCES DEPT
 SALEM, OREGON

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

I, **Bruce Douglas Howard**
(Name of Applicant)

of **Box 80 Cow Creek Road**, **Azalea**
(Mailing Address) (City)

State of **Oregon**, **97410** Phone No. **837-3405**
(Zip Code) do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is **Unnamed spring**
 a tributary of **Cow Creek**

2. The point of diversion is to be located **40** ft. **S.** and **1710** ft. **E.**
(N. or S.) (E. or W.)
 from the **NW** corner of **Section 33**
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the **NE** $\frac{1}{4}$ of the **NW** $\frac{1}{4}$ of
 Sec. **33** Tp. **31S.** R. **4W.**, W. M., in the county of **Douglas**
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township.	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
31S.	4W.	33	NE $\frac{1}{4}$ NW $\frac{1}{4}$	domestic including not to exceed $\frac{1}{2}$ acre lawn and garden irrigation
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	stock

4. The amount of water which the applicant intends to apply to beneficial use is 0.015
cubic feet per second..... 0.005 stock and 0.01 domestic including ½ acre lawn and garden.
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is stock and domestic including not to
exceed ½ acre lawn and garden irrigation.....

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

.....
Gravity flow system - 700 feet of pipeline
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

If for domestic use state number of families to be supplied one


7. Construction work will begin on or before July 1977

8. Construction work will be completed on or before July 1978

9. The water will be completely applied to the proposed use on or before July 1979

Application No. 56441

Permit No. 42813



Remarks:

+ Bruce Douglas Howard
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... correction and completion

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before April 13 , 19 78

WITNESS my hand this 13th day of February , 19 78

James E. Sexson Water Resources Director

By *[Signature]*

RECEIVED
FEB 16 1978
WATER RESOURCES DEPT.
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 3rd day of February , 19 78 , at 11:00 o'clock A.M.

Application No. 56441

Permit No. 42813

Application No. 5644

Permit No. 42813

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same **SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.015 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic use for one family including the irrigation of lawn and garden not to exceed $\frac{1}{2}$ acre in area, and stock; being 0.01 c.f.s. for domestic use, and 0.005 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 3, 1978


Actual construction work shall begin on or before April 3, 1979 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Extended to Oct. 1 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 3rd day of April, 1978


Water Resources Director