

Application No. 56927 Permit No. 42819

**RECEIVED**

DEC 16 1977

**STATE OF OREGON WATER RESOURCES DEPARTMENT**

WATER RESOURCES DEPARTMENT  
 SALEM, OREGON

**Application for Permit to Appropriate Surface Water**

I, Green Valley Farms  
 (Name of Applicant)

of 4200 Paradise Dr, Tiburon  
 (Mailing Address) (City)

State of Calif, 94920 Phone No. 415-435-3741  
 (Zip Code)

do hereby make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is South Umpqua R.

a tributary of Umpqua R.

2. The point of diversion is to be located #1-570 N 550 E ft. S and #2-360 ft. E

from the CX 1/4 corner of Sec 8, T 30S R 4W  
 (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the #1- SW 1/4 of the SE 1/4  
#2- NE 1/4 of the SE 1/4 1/4 of

Sec. 7 Tp. 30S R. 4W, W. M., in the county of Douglas  
 (N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
30 S	4 W	17	NW 1/4 NE 1/4	9.5
30 S	4 W	17	NE 1/4 NE 1/4	11.5
30 S	4 W	17	SW 1/4 NE 1/4	23.2
30 S	4 W	17	SE 1/4 NE 1/4	11.4
30 S	4 W	17	SW 1/4 SE 1/4	5.4
30 S	4 W	17	NE 1/4 SE 1/4	11.1
30 S	4 W	18	SW 1/4 SE 1/4	15.0
30 S	4 W	18	SE 1/4 SE 1/4	6.1
30 S	4 W	19	NW 1/4 NE 1/4	0.1
30 S	4 W	19	NE 1/4 NE 1/4	7.9

72.6 from #2

30.1 from #1

Form 690-1-0-1-77

4. The amount of water which the applicant intends to apply to beneficial use is ..... 1.29 .....  
cubic feet per second..... 1.38 from #1 , 91 from #2 .....  
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is ..... Irrigation .....

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

#1 50 Hp Electric .....

#2 75 Hp Electric .....

5 miles of pipe. Use wheel lines & hand lines. ....

If for domestic use state number of families to be supplied .....

7. Construction work will begin on or before ..... April 1978 .....

8. Construction work will be completed on or before ..... May-June 1978 .....

9. The water will be completely applied to the proposed use on or before ..... June 1978 .....

Application No. 56927 .....

Permit No. 42819 .....

Remarks:.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

*Louis O. Dalas*  
Signature of Applicant  
*for Green Valley Farms*

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before ....., 19.....

WITNESS my hand this ..... day of....., 19.....

..... Water Resources Director

By .....

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 16<sup>th</sup> day of December, 19 77, at 8:00 o'clock 9 A.M.

Application No. 56927

Permit No. 42819

.....

Application No. 56927

Permit No. 42819

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.16 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 16, 1977

Actual construction work shall begin on or before April 3, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Extended to Oct. 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1981

Extended to Oct. 1, 1982

WITNESS my hand this 3rd day of April, 1978

James E. Lewis Water Resources Director

204 2