APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

<i>I</i> ,	Frank E F	09001			•••••	
•		,	(Name of Applicant)	a, of	Grant	
07	(Postof	fice)	, Count	y 0/		
State of		do h	ereby make applie	cation for	a permit to	appropriate the
following desc	cribed public wate	ers of the Stat	e of Oregon subje	ct to exist	ing rights:	
If the app	plicant is a corpor	ration, give da	te and place of inc	orporation		***************************************
	No	t a corporat	ion			
1. The so	ource of the propo	osed appropria	tion is Can	yon Cre e l	K	
			ributary of Joh	(N	ame of stream)	
2. The an	nount of water wr	nich the applice	ant intends to appl	y to veneji	iciai use is	imico (o)
	cubic fee	et per second.				
3. The us	e to which the wa	ter is to be app	olied is	(Irı	rigation, power, mir	ning, manufacturing,
damagtic granting		gation				
domestic supplies,	etc.;	7 , 7	S 50° E 2400	feet from	n corner com	mon to Section
4. The po	oint of diversion is	s locatea	(Give distance	and bearing to	section corner)	
	22, 23, 25 and	47, T 15 5 1	R 31 E.W.M.	·		
***************					···-	
			of Sec			
verny wumm	(Circ amo	illest legal subdivis	ion)			
R. 31	E , W. M., in the		Gra	nt		
R. 31	E, W. M., in the	e county of	Gra		0.75	
R. (No. E. or V	E, W. M., in the	e county of			0.75	
R(No. E. or \) 5. The	E, W. M., in the	e county of	Gra	to be.	0.75	· · · · · · · · · · · · · · · · · · ·
R(No. E. or volume 5. The	E W. M., in the W.) Di (Mai h, terminating in t	tch the NE2 (Smallest	Gra ipe line)	of Sec	0.75) 13 S (No. N. or S.)
R. 31 (No. E. or v. 5. The 5. The miles in length R. 31 E (No. E. or W.)	E, W. M., in the w.) Di (Mai h, terminating in t	tch the NE2 (Smallest osed location be	Gra ipe line) 3.14 legal subdivision) sing shown throug	of Sec	0.75 23 , T _I). 13 S (No. N. or S.) g map.
R. 31 (No. E. or v. 5. The 5. The miles in length R. 31 E (No. E. or W.)	E, W. M., in the w.) Di (Mai h, terminating in t	tch the NE2 (Smallest osed location be	Grange line) S. 12 Legal subdivision) ring shown throughorks is	of Sec	0.75 23 , T _I). 13 S (No. N. or S.) g map.
R. 31 (No. E. or v. 5. The 5. The miles in length R. 31 E (No. E. or W.)	E, W. M., in the w.) Di (Mai h, terminating in t	e county of tch In ditch, canal or p the NE1 (Smallest esed location be anal or other w	Grange line) S. 12 Legal subdivision) ring shown throughorks is	of Sec	0.75 23 , T _I). 13 S (No. N. or S.) g map.
R. 31 (No. E. or V) 5. The miles in length R. 31 E (No. E. or W.)	E, W. M., in the w.) Di (Mai h, terminating in t	tch the NE (Smallest osed location be anal or other w Foster Dite	Grange line) S. 12 Legal subdivision) ring shown throughorks is	of Sechout on the	0.75 23 , T _I). 13 S (No. N. or S.) g map.
R. (No. E. or V 5. The miles in length R. 31 E (No. E. or W.) 6. The no	E , W. M., in the w.) Di (Mai h, terminating in to W. M., the propo	tch the NE (Smallest osed location be anal or other w Foster Dite	Grange line) 5.12 legal subdivision) sing shown throughorks is	of Sechout on the	0.75 23 , T _I). 13 S (No. N. or S.) g map.
R. 31 (No. E. or V. 5. The miles in length R. 31 E (No. E. or W.) 6. The no	E , W. M., in the w.) Di (Mai h, terminating in to w.) W. M., the proposition of the ditch, common of the ditch.	tch the NEL (Smallest osed location be anal or other w DESCR.)	Gra Ipe line) Siliz legal subdivision) sing shown throughorks is ch IPTION OF WOR	of Sechout on the	0.75) 13 S (No. N. or S.) g map.
R. S1 (No. E. or V 5. The miles in length R. S1 E (No. E. or W.) 6. The no DIVERSION W 7. (a) H	E , W. M., in the w.) Di (Mai h, terminating in to w.) W. M., the proportion of the ditch, continuous of the ditch, continuous continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and the continuous designs and the continuous designs and the continuous designs are continuous designs are continuous designs are continuous designs are continuous designs and the continuous designs are continuous designs are co	e county of tch In ditch, canal or p the NE1 S (Smallest osed location be anal or other w Foster Ditch DESCR	Gra ipe line) 3.1 legal subdivision) eing shown throughorks is ch IPTION OF WOR ength on top	to be	0.75 23 , T1 e accompanyin	n 13 S (No. N. or S.) g map. ength at bottom
R. 31 (No. E. or V 5. The miles in length R. 31 E (No. E. or W.) 6. The no DIVERSION W 7. (a) H 10	E , W. M., in the w.) Di (Mai h, terminating in to W. M., the propo ame of the ditch, co orks— leight of dam	e county of tch In ditch, canal or p the NEL S (Smallest osed location be anal or other w Foster Ditch DESCR feet, l be used and c	Gra ipe line) Sila legal subdivision) ring shown throughorks is ch IPTION OF WOR ength on top	to be	0.75 23 , T1 e accompanyin	(No. N. or S.) g map. ength at bottom
R. S1 E miles in length R. S1 E (No. E. or W.) 6. The no. 7. (a) Honorest Constant	E , W. M., in the w.) Di (Mai h, terminating in to w.) W. M., the proportion of the ditch, continuous of the ditch, continuous continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and we will be supported by the continuous designs and the continuous designs and the continuous designs and the continuous designs are continuous designs are continuous designs are continuous designs are continuous designs and the continuous designs are continuous designs are co	tch tch the NE1 (Smallest osed location be anal or other w DESCR	Gra ipe line) Sizi legal subdivision) sing shown throughorks is ch IPTION OF WOR ength on top character of construction	to beto beto beto beto beto beto sectionto beto beto sectionto beto sectionto beto section	0.75 23 , T1 e accompanyin	(No. N. or S.) g map. ength at bottom Loose rock, concrete,
R. 31 (No. E. or V 5. The miles in length R. 31 E (No. E. or W.) 6. The no DIVERSION W 7. (a) H 10	E , W. M., in the w.) Di (Mai h, terminating in t W. M., the propo ame of the ditch, co orks— eight of dam	tch tch the NE1 (Smallest osed location be anal or other w Foster Ditchester Ditchester be used and constructions of the standard of the sta	ipe line) 3.12 legal subdivision) sing shown throughorks is ch IPTION OF WOR ength on top character of construction around dam ver or around dam)	to beto beto beto beto beto beto beto section the section to the section	0.75 23 , T _I e accompanyin	(No. N. or S.) g map. ength at bottom Loose rock, concrete,
R. 31 (No. E. or V.) 5. The miles in length R. 31 E (No. E. or W.) 6. The no DIVERSION W. 7. (a) H. 10 LOOS masonry, rock an	E , W. M., in the w.) Di (Mai h, terminating in t W. M., the propo ame of the ditch, co orks— eight of dam	tch In ditch, canal or p the NE1 (Smallest osed location be anal or other w Foster Ditc DESCR be used and on Wasteway etc., wasteway of	Gra Jipe line) J	t long,	0.75 23 , T _I e accompanyin	(No. N. or S.) g map. ength at bottom Loose rock, concrete,

CANAL SYSTEM			
8. (a) Gi	ive dimensions at each point of canal where ma	terially changed	in size, stating mile
from headgate	a. At headgate: Width on top (at water line)	2.5	feet; width on botton
1.5	feet; depth of water 0.75 feet; gra	ide 1.25	feet fall per on
thousand feet.			
(b) At	tmiles from headgate. Width on t	op (at water line	?)
•	feet; width on bottomfeet; d	lepth of water	feet
grade	feet fall per one thousand feet.		
·	No material changes throughout		
W			
FILL IN	THE FOLLOWING INFORMATION WHERE	THE WATER	IS USED FOR:
9. The lan	nd to be irrigated has a total area of	61	acres, located in eac
smallest legal	subdivision, as follows:	est legal subdivision w	hich you intend to irrigate)
I.	NE SW4 6 acres		
	SE ₄ SW ₄ 40 acres, Section 23		·
ction 26 N	WEA NWA 15 acres. T 13 S R 31 E.		
		· · · · · · · · · · · · · · · · · · ·	
	•		
		•••••	
<u> </u>			
	(If more space required, attach separate	sheet)	<u> </u>
•	NG, MANUFACTURING, OR TRANSPORTATION PURPOSI		· · · · · · · · · · · · · · · · · · ·
	otal amount of power to be developed		theoretical horsepowe
(b) To	otal fall to be utilizedfeet.		
(c) Th	he nature of the works by means of which the por		
(d) Si	uch works to be located in(Legal subdivis		Sec
	(Legal subdivis, W. M. S.) (No. E. or W.)	ion)	
•	water to be returned to any stream? (Yes or		
., .	so, name stream and locate point of return		
	he use to which power is to be applied is $\frac{(\text{No. N. or})}{(\text{No. N. or})}$		
(h) T	he nature of the mines to be served		

11. To supply the city of	
County, having a present popula	tion of, and an
stimated population ofin 191	·
(Answer questions 12, 13, 14,	and 15 in all cases)
12. Estimated cost of proposed works, \$ 250.00	
13. Construction work will begin on or before	
14. Construction work will be completed on or before	
15. The water will be completely applied to the propo	
Duplicate maps of the proposed ditch or other works	
State Water Board, accompany this application.	
	Frank E Foster
	(Name of applicant)
•	
Signed in the presence of us as witnesses:	,
	John Day, Oregon
(Name)	(Address of Witness)
(2) Pq. J Singham (Name)	(Address of Witness)
Remarks:	
·	
······································	
·	
$STATE \ OF \ OREGON, $ $\}$ ss.	
STATE OF OREGON, County of Marion,	
This is to certify that I have examined the foregon	ing application, together with the accompanying
maps and data, and return the same for correction or co	mpletion, as follows:
*	
In order to retain its priority, this application must	be returned to the State Engineer, with correc-
tions, on or before, 191	
WITNESS my hand this	day of, 191
••••	State Engineer

6

Application	No. 6847
Permit No	4284

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No	District No
in the office of the	was first received State Engineer at the
	, 191,
Returned to applie	cant for correction
Corrected applicat	ion received
Approved: Nov 12 1919	
Recorded in Boo	ok No. 15 of
Permits, on Page	4284
Percy A Cupp 1 map RS	OCT State Engineer.
Nov 12 1919 Recorded in Boo Permits, on Page Percy A Cupp	4284 OGT State Engineer.

\$12.15

 $STATE\ OF\ OREGON,$

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to the eightieth of one cubic toot ner second or its equivalent for each acre irrigated, and shall be subject

one-eightieth of one cubic foot per second, or its equivalent	ent, for each acre irrigated, and shall be subject			
to such reasonable rotation system as may be ordered by				
The right to the use of water herein granted is limited to irrigation				
purposes.				
The amount of water appropriated shall be limited	to the amount which can be applied to beneficial			
use and not to exceed	cubic feet per second, or its equivalent in case of			
rotation. The priority date of this permit is	October 31, 1919			
Actual construction work shall begin on or before	Movember 12 1920			
thereafter be prosecuted with reasonable diligence and be	completed on or before			
	June 1, 1921			
Complete application of the water to the proposed u	se shall be made on or before			
	October 1, 1922			
WITNESS my hand this 12th day of	November, 1919			
	Percy A cupper			

Permits for power development are subject to the limitation of franchise as provided in Section 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Session Laws of 1915.

This form approved by the State Water Board, March 11, 1909.