

RECEIVED SEP 29 1972 STATE ENGINEER SALEM OREGON

Permit No. 42855

To Appropriate the Public Waters of the State of Oregon

I, Lee E. Docken, of Route #1 Box 44, Boardman, Oreg., 97818, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring Area #1 + Spring Area #2 + Reservoirs #1, #2, #3, #4, #5, a tributary of Drain Ditch. 2. The amount of water which the applicant intends to apply to beneficial use is 1.8 cubic feet per second. See Remarks.

3. The use to which the water is to be applied is Supplementary irrigation from Springs #1 + #2 only - Esthetic, Fish culture + Recreation from Spring areas #1 + #2 + the 5 Reservoirs.

4. The point of diversion is located 600' N + 240' E from the corner of Pond #1 (spr #1) located at Section or subdivision #1 + #2. Distances for other points: #2 (spr #2) 970' N + 260' E 920' N + 300' E; #3 300' N + 250' N + 260' E 1910' E; #4 810' N 1070' N + 1160' E 1860' E; #5 1140' N 1150' N + 1160' E 1390' E.

being within the #1 + #2 S.W. 1/4 S.W. 1/4 Sec. 17, Tp. 4 N, R. 25 E, W. M., in the county of Morrow.

5. The Pipe line to be 4290 ft in length, terminating in the S.W. 1/4 S.W. 1/4 of Sec. 17, Tp. 4 N, R. 25 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

- 6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction ... (b) Description of headgate ... (c) If water is to be pumped give general description 5.0 H.P. Electric Pump

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4N	25E	17	SW 1/4 SW 1/4	32 acres Esthetic, fish culture, + Rec
4N	25E	17	SE 1/4 SW 1/4	" " " "

(If more space required, attach separate sheet)

(a) Character of soil LOAM FINE SAND

(b) Kind of crops raised PASTURE

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 15,000⁰⁰
- 12. Construction work will begin on or before started
- 13. Construction work will be completed on or before June 1st 1973
- 14. The water will be completely applied to the proposed use on or before June 1st 1973

J. E. Decker
(Signature of applicant)

Remarks:

Item #2 (cont) O.lets from spring area #2 with any deficiency in supply to be made up by diversion from Spring area #1 for irrigation purposes.

O.lets from spring area #1 for maintaining pond #1 for esthetic, fish culture, + recreation

O.lets from Spring area #2 with deficiency in supply to be made up by diversion of water from Spring area #1 for maintaining ponds #2, #3, #4, + #5

This application is to supersede my previous application, number 4,9162

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from two spring areas and five reservoirs to be constructed under application No. 49914, permit No. R 7025, being 0.1 c.f.s. from spring area #1 and reservoir #1, and 0.35 c.f.s. from spring area #2 and reservoirs # 2, 3, 4, and 5, with any deficiency in the available supply from spring area #2 to be made up by diversion from spring area #1 for esthetics.*
The use to which this water is to be applied is esthetics, fish culture, recreation and irrigation.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoirs to be constructed under permit No. R 7025, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

*fish culture and recreation, and 0.8 c.f.s. from spring area #2, with any deficiency in the available supply from spring area #2 to be made up by diversion from spring area #1.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 13, 1972

Actual construction work shall begin on or before April 19, 1979 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980.

Complete application of the water to the proposed use shall be made on or before October 1, 1981.

WITNESS my hand this 19th day of April 1978

James E. Sexton
Water Resources Director

Application No. 49162
Permit No. 42855

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of April, 1978, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. _____ of _____ Permits on page _____

STATE ENGINEER

Drainage Basin No. 7 page 26
Fees