

Certificate # 53784

Application No. 57168

Permit No. 42973

STATE OF OREGON WATER RESOURCES DEPARTMENT RECEIVED

Application for Permit to Appropriate Surface Water MAR 14 1978

WATER RESOURCES DEPT. SALEM, OREGON

I, ADA ANNIS (Name of Applicant)

of 600 DELMAR RD., COOS BAY (Mailing Address) (City)

State of OREGON, 97420 Phone No. 267 7278 (Zip Code) do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is SPRING, a tributary of UNNAMED STREAM

2. The point of diversion is to be located 17.70 ft. and 1840 ft. from the SW corner of 3 (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the NE 1/4 of the SW 1/4 of Sec. 3 Tp. 27 S R. 13 W, W.M., in the county of COOS

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Row 1: 27 S, 13 W, 3, N.E. S.W., 0.502 c dm

4. The amount of water which the applicant intends to apply to beneficial use is 0.01 CFS
cubic feet per second. ~~0.01 CFS~~
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is DOMESTIC, TO INCLUDE
UP TO 0.50 AC LAWN AND GARDEN

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

DAM GRAVITY

If for domestic use state number of families to be supplied ~~ONE~~ TWO

7. Construction work will begin on or before COMPLETED

8. Construction work will be completed on or before IN USE

9. The water will be completely applied to the proposed use on or before IN USE

Application No. 57168

Permit No. 42973

[Handwritten mark]

Remarks:.....

.....
.....
.....
.....
.....
.....
.....
.....

X *Cida Annis*
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 14th day of MARCH, 1978, at 11:00 o'clock A.M.

Application No. 57168

Permit No. 42973

Application No. 57168

Permit No. 42973

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring.

The use to which this water is to be applied is domestic use for two families including the irrigation of lawn and garden not to exceed 1/2 acre in area for each family.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 14, 1978

Actual construction work shall begin on or before May 3, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 3rd day of May, 1978

James E. Nelson
Water Resources Director

PH 5