

Application No. 56667

Permit No. 42981

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED

APR 27 1978

WATER RESOURCES DEPT.
SALEM, OREGON

I, Carolyn M. Coleman (Name of Applicant)
of 39305 Highway 53, Hehalum (City)
State of Oregon, 97131 (Mailing Address) Phone No. 368-5710 (Zip Code) do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is 17700 CREEK
a tributary of North Fork Nehalem River

2. The point of diversion is to be located 230 ft. N and 230 ft. E
(N. or S.) (E. or W.)
from the SW corner of SE 1/4 SE 1/4 Sec 13
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the SE 1/4 of the SE 1/4 of
Sec. 13 Tp. 3 N R. 10 W, W. M., in the county of Tillamook
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
<u>3 N</u>	<u>10 W</u>	<u>13</u>	<u>SW 1/4 SE 1/4</u>	<u>DOM And 4.1 ac.</u>
			<u>SE 1/4 SE 1/4</u>	<u>2.9 ac.</u>

4. The amount of water which the applicant intends to apply to beneficial use is 0.07

cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is DOMESTIC AND IRRIGATION

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Concrete Culvert on end 7' deep 3' wide along side of creek. Centrifugal Pressure Pump 1500 gal per hour 1" pipe line for Domestic and garden use.

If for domestic use state number of families to be supplied one

- 7. Construction work will begin on or before March 8 1978
- 8. Construction work will be completed on or before March 8 1978
- 9. The water will be completely applied to the proposed use on or before March 8 1978

RECEIVED
42981

Application No. 56667

Permit No.

1978

Remarks:.....

.....
.....
.....
.....
.....
.....
.....
.....
.....

Carolyn M. Coleman
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 28TH day of SEPTEMBER, 19 77, at 8:00 o'clock A.M.

Application No. 56667

Permit No. 42981

1977

Application No. 56667

Permit No. 42981

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.07 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Main Creek.

The use to which this water is to be applied is domestic use for one family, and irrigation; being 0.005 c.f.s. for domestic use, and 0.065 c.f.s. for irrigation.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 27, 1978

Actual construction work shall begin on or before May 22, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 22nd day of May, 1978

James E. Saxon
Water Resources Director