## APPLICATION FOR A PERMIT

## To Appropriate the Public Waters of the State of Oregon

of Beswick (Name of Applicant)  State of Beswick (County of Siskiyou (County of Beswick)  State of Beswick (County of Siskiyou)  State of Beswick (County of Siskiyou)  It the applicant is a corporation, give date and place of incorporation.  1. The source of the proposed appropriation is Edd's Greek (Name of stream)  tributary of (rises in spring on land)  2. The amount of water which the applicant intends to apply to beneficial use is one-half cubic feet per second. The amount obtainable may not be \frac{1}{2} cu. will not exceed that amount.  3. The use to which the water is to be applied is (Irrigation, power, mining, manufaction)  4. The point of diversion is located in the northeast corner of the east half of N west quarter of Section 5, Township 41 South, lange 5 E, and is nearly half mile east and a little south of the Northwest corner of said Section  being within the (Give smallest legal subdivision)  R. 5 East W. M., in the county of (Smallest legal subdivision)  Klamath  (Ro. E. or W.)  (Main ditch, canal or pipe line)  Miles in length, terminating in the Size of Miles and Section of Sec. 5, Tp. 41 S. (No. N. or S. Co. E. or W.)  6. The name of the ditch, canal or other works is Stockslager Ditches	
State of	
following described public waters of the State of Oregon subject to existing rights:  If the applicant is a corporation, give date and place of incorporation	
1. The source of the proposed appropriation is	te the
1. The source of the proposed appropriation is	
tributary of (rises in spring on land)  2. The amount of water which the applicant intends to apply to beneficial use is one-half cubic feet per second. The amount obtainable may not be \frac{1}{2} cu.  3. The use to which the water is to be applied is (Irrigation, power, mining, manufaction)  4. The point of diversion is located in the northeast corner of the east half of N (Give distance and bearing to section corner) west quarter of Section 2. Township 41 South, lange 5 E and is nearly half mile east and a little south of the Northwest corner of said Section  being within the (IEI of the N.) (Give smallest legal subdivision)  5. East (Give smallest legal subdivision)  6. The miles in length, terminating in the SEA of NN. and of Sec. 3 , Tp. 41 S (No. N. o. S. S. S. W. M., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is Stockslager Ditches	
tributary of (rises in spring on land)  2. The amount of water which the applicant intends to apply to beneficial use is one-half cubic feet per second. The amount obtainable may not be \frac{1}{2} cu. will not exceed that amount.  3. The use to which the water is to be applied is (Irrigation, power, mining, manufation)  4. The point of diversion is located in the northeast corner of the east half of N (Give distance and bearing to section corner) west quarter of Section 5. Township 41 South, lange 5 E and is nearly half mile east and a little south of the Northwest corner of said Section  being within the NET Of the NET Of the NET (No. N. or Sec. Sec. Sec. Sec. No. N. or Sec. Sec. Sec. Sec. No. N. or Sec. Sec. Sec. Sec. No. N. or Sec. Sec. Sec. Sec. Sec. No. N. or Sec. Sec. Sec. Sec. Sec. No. N. or Sec. Sec. Sec. Sec. Sec. Sec. Sec. Sec.	
tributary of (rises in spring on land)  2. The amount of water which the applicant intends to apply to beneficial use is one-half cubic feet per second. The amount obtainable may not be \frac{1}{2} cu.  3. The use to which the water is to be applied is  Irrigition  4. The point of diversion is located in the northeast corner of the east half of N (Give distance and bearing to section corner) west quarter of Section S. Township 41 South, large 5 E and is nearly half mile east and a little south of the Northwest corner of said Section  being within the (Ch. of the N. of Sec. 3 , Tp. 41 S (No. N. or Sec. 3 )  Character will not be each about one-half (No. E or W.)  5. The two main ditches to be each about one-half (Smallest legal subdivision)  (Main ditch, canal or pipe line) (Smallest legal subdivision)  (R. Sec. 3 , Tp. 41 S (No. N. or Sec. 3 )  (Main ditch, canal or pipe line) (Smallest legal subdivision)  (Smallest legal subdivision)  (Mo. E or W.)  6. The name of the ditch, canal or other works is Stockslager Ditches	
2. The amount of water which the applicant intends to apply to beneficial use is one-half cubic feet per second. The amount obtainable may not be ½ cu. will not exceed that amount.  3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufall principal power)  4. The point of diversion is located in the northeast corner of the east half of Nowest quarter of Section 5, Township 41 South, range 5 E. Am. and is nearly half mile east and a little south of the Northwest corner of said Section (No. N. or Sec. 3, Tp. 41 Section No. N. or Section No. N. or Sec. 3, Tp. 41 Section No. N. or N. or No. N. or No. N. or N. or N. or N. or No. N. or	
one-half cubic feet per second. The amount obtainable may not be \frac{1}{2} cu.  3. The use to which the water is to be applied is  Irrigation  Irrig	
3. The use to which the water is to be applied is  Irrigation  Give distance and bearing to section corner)  West quarter of Section 3, Township 41 South, Range 5 E and is nearly  half mile east and a little south of the Northwest corner of said Section  being within the MEL of the Nol (Give smallest legal subdivision)  R. 5 East (No. E. or W.)  5. The two main ditches (Main ditch, canal or pipe line)  (Main ditch, canal or pipe line)  (Main ditch, canal or pipe line)  (Smallest legal subdivision)  R. 5 E W. M., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is  Stockslager Ditches	
Irrigation  Irrigation  4. The point of diversion is located in the northeast corner of the east half of N west quarter of Section 5. Township 41 South, Range 5 E and is nearly half mile east and a little south of the Northwest corner of said Section  being within the RE Of the N	it. a
### domestic supplies, etc.)  #### The point of diversion is located in the northeast corner of the east half of Now west quarter of Section S. Township 41 South, Range 5 E. A. and is nearly half mile east and a little south of the Northwest corner of said Section half mile east and a little south of the Northwest corner of said Section within the Northwest corner of said Section of Sec. 3 , Tp. 41 S. (Give smallest legal subdivision)  ###################################	ecturing.
4. The point of diversion is located. in the northeast corner of the east half of Newst quarter of Section 3, Township 41 South, Range 5 E and is nearly half mile east and a little south of the Northwest corner of said Section being within the NET of the NET of the Net Northwest corner of said Section (Give smallest legal subdivision)  R	
west quarter of Section 3, Township 41 South, Range 5 E and is nearly half mile east and a little south of the Northwest corner of said Section  being within the NE of the NE of the NE of Sec. 3 , Tp. 41 S (No. N. or Sec. 7) (No. Or Sec. 7) (No. Or Sec. 7) (No. Or Sec. 7)	Tont in
west quarter of Section 3, Township 41 South, Range 5 E and is nearly half mile east and a little south of the Northwest corner of said Section  being within the NE of the NE of the NE of Sec. 3 , Tp. 41 S  (Give smallest legal subdivision)  Klamath  (No. N. or Sec. 3 , Tp. 41 S  (No. N. or Sec. 3 , Tp. 41 S  (No. N. or Sec. 3 , Tp. 41 S  (No. N. or Sec. 3 , Tp. 41 S  (No. E. or W.)  5. The two main ditches to be each about one-half of Sec. 3 , Tp. 41 S  (Smallest legal subdivision)  R. 5 E W. M., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is Stockslager Ditches	
being within the No. 1	one-
R	3.
R	
R	
R	.)
5. The two main ditches to be each about one-half (Main ditch, canal or pipe line)  miles in length, terminating in the SEA of NA and of Sec. 3 , Tp. 41 S (Smallest legal subdivision)  R. 5 E W. M., the proposed location being shown throughout on the accompanying map.  (No. E. or W.)  6. The name of the ditch, canal or other works is Stockslager Ditches	
(Main ditch, canal or pipe line)  White of Switz and of Sec. 3 , Tp. 41 S  (Smallest legal subdivision)  (No. N. of Sec. 3 , Tp. 41 S  (No. E. or W.)  6. The name of the ditch, canal or other works is  Stockslager Ditches	
miles in length, terminating in the SEA of NV and of Sec. 3 , Tp. 41 S  (Smallest legal subdivision) (No. N. o  R. 5 E W. M., the proposed location being shown throughout on the accompanying map.  (No. E. or W.)  6. The name of the ditch, canal or other works is  Stockslager Ditches	
R. 5 E W. M., the proposed location being shown throughout on the accompanying map.  (No. E. or W.)  6. The name of the ditch, canal or other works is  Stockslager Ditches	South
R. 5 E W. M., the proposed location being shown throughout on the accompanying map.  (No. E. or W.)  6. The name of the ditch, canal or other works is  Stockslager Ditches	or S.)
6. The name of the ditch, canal or other works is  Stockslager Ditches	
Stockslager Ditches	
DESCRIPTION OF WORKS	
DESCRIPTION OF WORKS	
Diversion Works—	
7. (a) Height of damfeet, length on topfeet, length at i	bottom
feet; material to be used and character of construction(Loose rock,	
masonry, rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate Timber and earth - two in number of appropriations (Timber, concrete, etc., number and size of openings)	ı te
size for the ditches herein described.	
*A different form of application is provided where storage works are contemplated. These forms can be secured without	ahanas

CANAL	System-
-------	---------

	Give dimensions at each point of canal where materially changed in size, stating miles
	tte. At headgate: Width on top (at water line) not over two feet; width on bottom
ibout one	#eet; depth of water not over/ feet; grade very slight feet fall per one
housand fee	The ditches proposed are small and will be of about uniform size througho their length
(b)	Atmiles from headgate. Width on top (at water line)
* - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	feet; width on bottom feet; depth of water feet;
grade	feet fall per one thousand feet.
· · · · · · · · · · · · · · · · · · ·	
FILL 1	N THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:
	land to be irrigated has a total area of about thirty-two acres, located in each
$smallest\ leg$	al subdivision, as follows:  (Give area of land in each smallest legal subdivision which you intend to irrigate)
	20 acres in SE of NW ) Sec. 3 - 41 S - R 5 E.W.M.
	12 " " NE4 of NW4 ) Sec. 3 - 41 S - R S E.W.M.
	•
	(If more space required, attach separate sheet)
Power, Mir	NING, MANUFACTURING, OR TRANSPORTATION PURPOSES—
10. (a)	Total amount of power to be developedtheoretical horsepower.
	Total fall to be utilizedfeet.
(c)	The nature of the works by means of which the power is to be developed
(d)	Such works to be located in of Sec
	, R, W. M. or S.) (No. E. or W.)
	Is water to be returned to any stream?  (Yes or No)
	If so, name stream and locate point of return
	, Sec., , Tp., , R., , W. M. (No. E. or W.)
(g)	The use to which power is to be applied is
(h)	The nature of the mines to be served.
	I HE HADINE UI DID HUNDO DU VO BOLVOU.

	LAND AND THE STATE OF THE STATE
Municipal Supply	A District
11. To supply the city of	
(Name of) County, having a present populat	non 0/, and un
estimated population ofin 191	
(Answer questions 12, 13, 14, a	and 15 in all cases)
12. Estimated cost of proposed works, \$ about 150.	, 00
13. Construction work will begin on or before	December 1, 1919
14. Construction work will be completed on or before	
. 15. The water will be completely applied to the propos	
	July 1, 1921
Duplicate maps of the proposed ditch or other works,	menared in accordance with the rules of the
	propared in decoration with the raise of the
State Water Board, accompany this application.	Fred C Stockslager
	(Name of applicant)
r r	
Signed in the presence of us as witnesses:	
R C Groesbeck	Klamath Falls, Oregon
(Name)	(Address of Witness)
	(Address of Witness) ress is Beswick, California, but will
	above described and of course am resid-
ing on same. There is one fairly good	spring on the 80 acres described and
	as indicated on the accompanying map.
I have had no accurate measurement mad	
available but believe that I can get e For the reason that I am compelled to	
	e 32 acres in shape to irrigate before
July 1, 1921, and hence have named tha	
nleted much sooner.	,
STATE OF OREGON,	
County of Marion, ss.	the term of the control of the contr
This is to certify that I have examined the foregoin	ng application, together with the accompanying
maps and data, and return the same for correction or con	npletion, as follows:
, and an analytical states of the states of	
(	
In order to retain its priority, this application must be	
tions, on or before, 191	·- <del>-</del>
WITNESS my hand thisd	lay of, 191
	State Engineer.

Application	No6877
Permit No	4307

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No District No
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the
of November , 191 9 at 8:30 o'clock A M.
Returned to applicant for correction
Corrected application received
Approved: Nov 28 1919
Recorded in Book No. 15 of
Permits, on Page 4307.
Percy A Cupper
1 map RS State Engineer.

**\$7.**80

STATE OF OREGON,

Coun

ity	of	Marion,	88.			

The right to the use of water herein granted is purposes.  The amount of water appropriated shall be limited to the amount use and not to exceed.  O.4 cubic feet per rotation. The priority date of this permit is.	nt which can be applied to benefici r second, or its equivalent in case
The amount of water appropriated shall be limited to the amounuse and not to exceed	nt which can be applied to benefici r second, or its equivalent in case
The amount of water appropriated shall be limited to the amount use and not to exceedO.4cubic feet perotation. The priority date of this permit is	nt which can be applied to benefic r second, or its equivalent in case
use and not to exceed	r second, or its equivalent in case
use and not to exceed	r second, or its equivalent in case
rotation. The priority date of this permit is	
rotation. The priority date of this permit is	er 17 1919
	U.L
	er 28, 1920
Actual construction work shall begin on or before	and sh
hereafter be prosecuted with reasonable diligence and be completed	on or before
June 1	, 1921 FX TEMPER OF 4//22
Complete application of the water to the proposed use shall be n	
Octobe	r 1, 1922
WITNESS my hand this 28th day of November	er, 1919

State Engineer. Permits for power development are subject to the limitation of franchise as provided in Section 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Session Laws of 1915.

This form approved by the State Water Board, March 11, 1909.