

4. The amount of water which the applicant intends to apply to beneficial use is 0.62
cubic feet per second. 856.79 acre feet from storage
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is primary irrigation of
49.2 ac & Supplemental Irrigation of 399.3 acres

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Various pumps & portable sprinkler
systems

If for domestic use state number of families to be supplied

7. Construction work will begin on or before has begun

8. Construction work will be completed on or before 10/1/80

9. The water will be completely applied to the proposed use on or before 10/1/81

Application No. 55260

Permit No. 43131

43131

RECEIVED

JUN 16 1978

WATER RESOURCES DEPT.
SALEM, OREGON

ATTACHED SHEET
Application 55260

43131

Item #2

2110' S. and 650' W., 3150' S. and 50' W., 3290' S. and 75' E., all from the
C $\frac{1}{4}$ Section 30 being within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 30, NE $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 31;
2740' N. and 2730' E. from the SW Corner Section 31 being within the SW $\frac{1}{4}$ NE $\frac{1}{4}$
Section 31, T. 12 S., R. 4 W., W.M.; 1025' S. and 500' W., 1820' S. and 1130' W.
both from the NE Corner Section 25, 1050' N. and 90' W., from the SE Corner Section
25 being within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, and SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 25, T. 12 S., R. 5 W., W.M.

Item #3

| <u>Township</u> | <u>Range</u> | <u>Section</u> | <u>$\frac{1}{4}$ $\frac{1}{4}$ Sec.</u> | <u>Acreage</u> | |
|-----------------|--------------|----------------|---|----------------|--------------|
| | | | | <u>Pri.</u> | <u>Supp.</u> |
| 12 S. | 4 W. | 30 | NE SW | | 40.0 |
| | | | NW SW | 0.2 | 25.8 |
| | | | SW SW | 0.3 | 1.2 |
| | | | SE SW | 0.1 | 30.1 |
| | | | NW SE | | 9.8 |
| | | | SW SE | 22.5 | 17.5 |
| | | | SE SE | 5.0 | |
| | | 31 | NW NE | 2.9 | 17.6 |
| | | | SW NE | 1.6 | 2.4 |
| | | | NE NW | | 35.6 |
| | | | NW NW | | 13.1 |
| | | | SE NW | 1.0 | 16.3 |
| | | | NE SW | | 10.1 |
| | | | SE SW | | 0.3 |
| 12 S. | 5 W. | 25 | NE NE | 1.0 | 13.0 |
| | | | SW NE | | 5.0 |
| | | | SE NE | 2.5 | 31.5 |
| | | | NE SE | 6.0 | 32.0 |
| | | | SW SE | 4.4 | 1.6 |
| | | | SE SE | 1.7 | 0.3 |
| 13 S. | 4 W. | 6 | NW NE | | 21.1 |
| | | | SW NE | | 1.6 |
| | | | | <u>49.2</u> | <u>349.3</u> |

Remarks: See apps - 47756, 52765, 53167

Roy Nathaway
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the day of, 19....., at o'clockM.

Application No. 55260

Permit No. 43131

43131

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.62 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River and 856.79 a. f. from Willamette Basin Project Reservoirs constructed under permits No. R 1625 and R 5363.

The use to which this water is to be applied is irrigation and supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from Willamette Basin Project Reservoirs constructed under permits No. R 1625 and R 5363, and is subject to the terms and conditions of contracts No. 7-07-10-W0051 and 7-07-10-W0059, or a satisfactory replacement, between the Bureau of Reclamation and the applicant, a copy of which is on file in the Water Resources Department, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 16, 1978

Actual construction work shall begin on or before July 5, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 5th day of July, 1978

James C. Larson Water Resources Director

RAY 3