

A# 49146

RECEIVED  
APR 10 1972

Permit No. 13185  
RECEIVED

STATE ENGINEER  
SALEM OREGON  
\*APPLICATION FOR PERMIT

FEB 27 1972

ASSIGNED, See Misc. Rec., Vol. 6 Page 492

WATER RESOURCES DEPT.  
SALEM OREGON

### To appropriate the Public Waters of the State of Oregon

I, Olson-Lawyer Lumber, Inc., an Oregon corporation,  
(Name of applicant)  
of P. O. Box 847, Medford  
(Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Oregon - July 1, 1946  
as Ross & DeArmond Lumber Company, Inc.

1. The source of the proposed appropriation is unnamed stream  
(Name of stream)  
same in a defined course.

2. The amount of water which the applicant intends to apply to beneficial use is 0.17  
cubic feet per second. supplemental to spring rights per certificate No. 13530  
and certificate No. 15306 (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is domestic supplies including water  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)  
for irrigation of not more than 1/2 acre of lawn and garden for 17 domestic  
units.

4. The point of diversion is located 995 ft. N and 1,240 ft. W from the N quarter  
(N. or S.) (E. or W.)  
corner of Section 10, Township 33 South, Range 2 East of the Willamette  
Meridian in Jackson County, Oregon  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE quarter of the SW quarter of Sec. 3, Tp. 33 S,  
(Give smallest legal subdivision) (N. or S.)

R. 2 E, W. M., in the county of Jackson  
(E. or W.)

5. The main pipe line to be approximately 3,880 feet  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the SE quarter of the NW of Sec. 10, Tp. 33 S,  
quarter (Smallest legal subdivision) (N. or S.)

R. 2 E, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

#### DESCRIPTION OF WORKS

##### Diversion Works—

6. (a) Height of dam                      feet, length on top                      feet, length at bottom                      feet; material to be used and character of construction water to be collected directly by pipe with gravity flow into concrete collection box & service tank where spring system collected.  
rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate direct from concrete box and service tank  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description gravity flow  
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

49146

13185

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 3,880 ..... ft.; size at intake, Pipes 5 2" plastic from service tank to lateral lines ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, to 200 ..... ft. Is grade uniform at water source Estimated capacity, .17 ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
33 S	2 E	10	This application is to apply for a permit to use water for domestic purposes including not more than 1/2 acre garden and lawn for each user upon 17 separate locations each of which are more particularly described upon Exhibit A hereto and Maps A and B also attached hereto.	
33S	2 E	10	NW 1/4 NE 1/4 DOM 2	
			SW 1/4 NE 1/4 1	
			SE 1/4 NW 1/4 7	} +2 partly in both
			NE 1/4 SW 1/4 5	
			17	

(If more space required, attach separate sheet)

(a) Character of soil mountain meadow and forest loam .....

(b) Kind of crops raised lawn and family garden .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

(Legal subdivision)

Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? ..... (Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....  
(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied 17 .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$2,500.00 .....

12. Construction work will begin on or before completed .....

13. Construction work will be completed on or before completed .....

14. The water will be completely applied to the proposed use on or before completely  
applied. ....

OLSON-LAWYER-LUMBER, INC.  
(Signature of applicant)

By Paul R. Doe  
Its Vice President

Remarks: As the water supply provided by the springs covered by permit No. 13901 and 15729 became inadequate during the summer months, additional supply pipes were led into the service tank for the domestic water supply system from the water source which tends to run in a well defined channel at that point. The water system for domestic use has been in operation upon the basis of the said permits and resulting water right certificates since 1944, but since a portion of the water is taken from a water source which presents a well defined stream, field agents for the State Engineer's office have requested that this application for permit to appropriate the waters of a stream be filed. Due to subsequent applications for change of place of use, the pipe line has been extended and lengthened from time to time. The estimated length of this pipe line indicated in question 7(c) covers the distance from the water source to the furthest point at which the water is used. It does not take into account the various lateral lines.

Note: Corrections approved by H. Dewey Wilson

Atty for Olson-Lawyer-Lumber, Inc

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

13185

49146

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream.

The use to which this water is to be applied is domestic use for 17 families including the irrigation of lawn and garden not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 10, 1972

Actual construction work shall begin on or before July 25, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980.

Complete application of the water to the proposed use shall be made on or before October 1, 1981.

WITNESS my hand this 25th day of July 19 78.

*James E. Saxon*  
Water Resources Director

Application No. 49146  
Permit No. 13185

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of April, 1978, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of

Permits on page

STATE ENGINEER

Drainage Basin No. 15 page 22210

Fees