

Application No. 57384

Permit No. 43247

STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIVED

Application for Permit to Appropriate Surface Water  
MAY 8 1978  
WATER RESOURCES DEPT.  
SALEM, OREGON

I, Craig Eagleson  
(Name of Applicant)

of Route 2 Box 162-E, Newberg  
(Mailing Address) (City)

State of Oregon, 97132 Phone No. 538-5310  
(Zip Code)

do hereby make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Unnamed creek tributary to  
Springbrook Creek, a tributary of Willamette River

2. The point of diversion is to be located 1435 ft. North and 3060 ft. East  
(N. or S.) (E. or W.)

from the South West corner of North Half of the Luke McKern DLC No. 56  
in Yamhill County  
(Public Land Survey Corner)  
(If there is more than one point of diversion, each must be described)

being within the N.W.  $\frac{1}{4}$  of the S.E.  $\frac{1}{4}$  of  
Sec. 21 Tp. 3 South R. 2 West, W. M., in the county of Yamhill  
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
3 South	2 West	21	<del>NW<math>\frac{1}{4}</math> &amp; NE<math>\frac{1}{4}</math> of SW<math>\frac{1}{4}</math></del> 2.6 Ac in NW $\frac{1}{4}$ -SE $\frac{1}{4}$ 2.6 Ac in NE $\frac{1}{4}$ -SE $\frac{1}{4}$	5.2 Acres Garden, Orchard & Nursery including $\frac{1}{2}$ Ac. lawn & Landscaping of residence.

OK PC  
PRESENT  
ONLY  
100 FT

4. The amount of water which the applicant intends to apply to beneficial use is 0.065.....

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Sprinkler irrigation.....

6.

**DESCRIPTION OF WORKS**

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

The system will consist of a 3/4 HP 3450 RPM 110 volt motor directly coupled to a 1-inch centrifugal pump. There is an approximately 50 foot lift from the stream to flat land to be irrigated. Delivery from the stream to the tilled land is thru a 1 1/4 inch pipe supply line. A natural impoundment of water is adequate for the present system so that a dam or head-works is not required. Supply line is 135 feet in length.

If for domestic use state number of families to be supplied .....

7. Construction work will begin on or before 15 May 1/2 1978.....

8. Construction work will be completed on or before 1 October 1978.....

9. The water will be completely applied to the proposed use on or before 1 October 1980.....

Application No. 57384.....

Permit No. 43247.....

STAFF ENGINEER  
PERMITS DIVISION  
NOV 9 1978  
43247

Remarks: The legal description of the property to be irrigated

is: Beginning at a point on the South line of the North Half of the Luke McKern D.L.C. No. 56 in Section 21, T3S; R2W, W.M. that is 1229.58 feet East of the Southeast corner of said North Half, thence North 973.41 feet to the true point of beginning, thence North 641.61 feet, thence East 358.0 feet, thence South 641.61 feet, thence West 358.0 feet to the point of true beginning, containing 5.27 Acres, more or less.

*Oran Eagleson*  
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... correction and completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before .....September 14,....., 19.78.....

WITNESS my hand this ...14th..... day of.....July....., 19.78.....

James E. Sexson..... Water Resources Director

By *Donald R. Buell*  
Donald R. Buell

RECEIVED  
JUL 24 1978  
WATER RESOURCES DEPT.  
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

*8<sup>th</sup>* day of *May*, 19 *78*, at *8:10* o'clock  
.....A.M.

Application No. *57384*

Permit No. *43247*

1978

Application No. 57384

Permit No. 43217

### Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.065 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Unnamed creek tributary Springbrook Creek which is tributary to Willamette River.

The use to which this water is to be applied is To sprinkle irrigate 5.2 acres

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 8, 1978

Actual construction work shall begin on or before August 16, 1970 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 16th day of August, 1978

James E. Severson  
Water Resources Director

4/A