

Application No. 57430

Permit No. 43279

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED
MAY 18 1978
WATER RESOURCES DEPT
SOUTH GASTON

I, June R. Cloud and Norris W. Cloud
(Name of Applicant)

of Route 2, Box 9140, Sutherlin
(Mailing Address) (City)

State of Oregon, 97479 Phone No. 459-2692
(Zip Code) do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is North Umpqua River
Umpqua River, a tributary of

2. The point of diversion is to be located 1,000 ft. S and 140 ft. E
(N. or S.) (E. or W.)
from the NW corner of Sec. 17
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the NW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of
Sec. 17 Tp. 26S R. 4W, W. M., in the county of Douglas
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

| Township | Range | Section | List $\frac{1}{4}$ $\frac{1}{4}$ of Section | List use and/or number of acres to be irrigated |
|----------|-------|---------|---|---|
| 26S | 4W | 17 | NW $\frac{1}{4}$ NW $\frac{1}{4}$ | 1.7 ac., domestic, stock |
| 26S | 4W | 18 | NE $\frac{1}{4}$ NE $\frac{1}{4}$ | 4.7 ac., stock |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

4. The amount of water which the applicant intends to apply to beneficial use is 0.0975

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is irrigation (0.0875); stock (0.005);

..... domestic (0.005)

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

..... 2 h.p. pump - 1" pipe - 375' from low water to house.

..... 4 h.p. pump for irrigation.

..... 500' of 3" pipe.

..... 200' of 2" pipe.

If for domestic use state number of families to be supplied one

7. Construction work will begin on or before October 1, 1978

8. Construction work will be completed on or before October 1, 1979

9. The water will be completely applied to the proposed use on or before October 1, 1980

Application No. 57430

Permit No. 43279

Remarks:.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

June R Cloud
Signature of Applicant
Jonie W Cloud

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....
.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the *18th* day of *May*, 19 *78*, at *11:00* o'clock *A.M.*

Application No. *57430*

Permit No. *43279*

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.09 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Umpqua River.

The use to which this water is to be applied is irrigation, domestic for one family, and stock; being 0.08 c.f.s. for irrigation, 0.005 c.f.s. for domestic, and 0.005 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 18, 1978

Actual construction work shall begin on or before August 16, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 16th day of August, 1978

James B. Sexton
Water Resources Director