

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

I, Louis Ewonick  
(Name of Applicant)

of Rt. 4 Box 228-D, Coos Bay  
(Mailing Address) (City)

State of Oregon, 97420 Phone No. 267-6310  
(Zip Code) do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is unnamed stream & reservoir, a tributary of Catching Creek

2. The point of diversion is to be located 820 ft. S and 2320 ft. E  
(N. or S.) (E. or W.)  
 from the NW corner of Sec 29  
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the NE  $\frac{1}{4}$  of the NW  $\frac{1}{4}$  of  
 Sec. 29 Tp. 26S R. W, W. M., in the county of Coos  
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
T 26	R 12W	29	NE $\frac{1}{4}$ NW $\frac{1}{4}$	Irrigation 10ac
" "	" "	" "	NW $\frac{1}{4}$ NE $\frac{1}{4}$	" " 1.5ac
" "	" "	" "	NE $\frac{1}{4}$ NW $\frac{1}{4}$	Stockwater
" "	" "	" "	" "	Fish Culture Reservoir

4. The amount of water which the applicant intends to apply to beneficial use is 0.186 cfs  
cubic feet per second From un-named stream  
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is irrigation = 0.131 cfs; stockwater = 0.005 cfs; Fish culture = 0.05 cfs

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Type of irrigation = overhead sprinklers - pumped from water storage by a centrifugal 5 horsepower electric pump.

Type + Number of livestock to be watered = Beef cattle - 3 to 10 head.

Type + number of fish to be raised - Trout - 200 to 300 in number.

If for domestic use state number of families to be supplied \_\_\_\_\_

7. Construction work will begin on or before complete

8. Construction work will be completed on or before In Use

9. The water will be completely applied to the proposed use on or before " "

Application No. 57207

Permit No. 43287

Remarks:.....

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

X *James Cronin*  
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before ..... July 17....., 19.78.....

WITNESS my hand this ..... 16th ..... day of ..... May....., 19.78.....

..... James E. Sexson..... Water Resources Director

By *Ves Garner*  
Ves Garner

RECEIVED  
JUL 26 1978  
WATER RESOURCES DEPT.  
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the ..... 23<sup>rd</sup> ..... day of ..... March....., 19.78....., at 11:00 o'clock ..... A.....M.

Application No..... 57207.....

Permit No..... 43287.....

Application No. 57207

Permit No. 43287

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.165 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and reservoir to be constructed under application No. R-57206, permit No. R-7601, for fish culture, irrigation, and stock; being 0.14 c.f.s. for irrigation, 0.02 c.f.s. for fish culture, and 0.005 c.f.s. for stock.

The use to which this water is to be applied is

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigation during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 26, 1978

Actual construction work shall begin on or before August 16, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 16th day of August, 1978

James E. Sexton
Water Resources Director