

Application No. 57521

Permit No. 43294

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

**RECEIVED**

JUN 12 1978

WATER RESOURCES DEPT.  
SALEM, OREGON

We, John E. Hurliman and Mildred Hurliman

(Name of Applicant)

of 11475 Old Woods Road

(Mailing Address)

Cloverdale

(City)

State of Oregon, 97112 Phone No. 392-3669

(Zip Code)

do hereby make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Unnamed Stream

, a tributary of Big Nestucca River

2. The point of diversion is to be located 585 ft. S and 1580 ft. W

(N. or S.)

(E. or W.)

from the E<sup>1</sup>/<sub>4</sub> corner of Section ~~26~~ 21

(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the NW, S  $\frac{1}{4}$  of the SE  $\frac{1}{4}$  of

Sec. 26 21 Tp. 4 S R. 10 W, W. M., in the county of Tillamook

(N. or S.)

(E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
4 S	10 W	<del>26</del> 21	NE $\frac{1}{4}$ SE $\frac{1}{4}$	Operation of a dairy Stockwater
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	Stockwater

4. The amount of water which the applicant intends to apply to beneficial use is 0.03

cubic feet per second.....  
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Operation of a dairy - 0.02 c.f.s., and  
Stockwater - 0.01 c.f.s.

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

1 1/4 inch pipeline comes from point of diversion to applicants' house on North side  
of the county road, then continues to the barns on the South side of the road,  
pipelines also extend into the fields to stockwater troughs.

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before..... completed

8. Construction work will be completed on or before..... completed

9. The water will be completely applied to the proposed use on or before..... completed

Application No. 57521

Permit No. 43294

RECEIVED  
WATER DIVISION  
RIVERSIDE COUNTY  
SAN DIEGO

43294

Remarks: Use of water for operation of a dairy with approximately 125 head of milk cows and young stock, combined, includes water for cleaning milking equipment, cleaning milking parlor and barns, and for animal drinking water in the two barns. Stockwater is also provided to animals in the fields by stockwater troughs at various locations.

*John E. Kubina*  
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... correction

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before October 11, 19 78

WITNESS my hand this 11th day of August, 19 78

James E. Sexson Water Resources Director

By *Ralph A. Jackson*  
Ralph A. Jackson

RECEIVED

AUG 17 1978

WATER RESOURCES DEPT.  
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

14th day of June, 19 78, at 8:00 o'clock

A.M.

Application No. 57521

Permit No. 43294

43294

