

Application No. 57020

Permit No. 43298

**STATE OF OREGON WATER RESOURCES DEPARTMENT**

**Application for Permit to Appropriate Surface Water**

I, Bethi Vayne Dionne & James Dionne  
(Name of Applicant)

of RT. 1 Box 396, Amity  
(Mailing Address) (City)

State of Oregon, 97101 Phone No. 835-2561 do hereby  
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is 2 springs

....., a tributary of Yamhill River

2. The point of diversion is to be located #1 1760 ft. S and 2650 ft. E  
#2 1850 ft. S and 2470 ft. E  
(N. or S.) (E. or W.)

from the NW corner of Section 14  
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

..... being within the #1 SW NE  
#2 SE NW  $\frac{1}{4}$  of the  $\frac{1}{4}$  of  
 Sec. 14 Tp. 5S R. 4W, W. M., in the county of Yamhill  
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
<u>5S</u>	<u>4W</u>	<u>11</u>	<u>SE SW</u>	<u>2.0 &amp; Stock</u>
			<u>SW SE</u>	<u>3.0, Dam. 0 &amp; Stock</u>

4. The amount of water which the applicant intends to apply to beneficial use is 0.07  
cubic feet per second being 0.06 for Irrig, 0.005 for Dom. &  
0.005 for Stockwater  
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Irrigation of 5<sup>±</sup> ac,  
Domestic use for one family & Stockwater

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

2 springs are diverted by pipeline  
into a 400 gallon reservoir then  
2" PVC pipeline to house, barns,  
& irrigated area.

portable sprinkler system for Irrig,  
stock watering in barns & chicken  
house. also stock Trough in pasture

50 head horses, pigs, cattle, chickens

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before.....

8. Construction work will be completed on or before.....

9. The water will be completely applied to the proposed use on or before.....

Complete

Application No. 57020

Permit No. 43298

Remarks: Spring #1 with spring #2 as  
a back-up source

x *Ben O. Dionne*  
Signature of Applicant  
*James Dionne*

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

Water Resources Director

By .....

**RECEIVED**

AUG 7 1978

**WATER RESOURCES DEPT.  
SALEM, OREGON**

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

*26<sup>th</sup>* day of *January*, 19 *78*, at *8:00* o'clock  
*A*.M.

Application No. *57020*

Permit No. *43298*

*20750*

*43298*

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.07 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from spring No. 1 with any deficiency in the available supply from spring No. 1 to be made up by diversion from

STEWART DIVISION WATER RESOURCES DISTRICT

spring No. 2

The use to which this water is to be applied is irrigation, domestic for one family, and stock, being 0.06 c.f.s. for irrigation, 0.005 c.f.s. for domestic, and 0.005 c.f.s. for stock use.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 26, 1978

Actual construction work shall begin on or before September 5, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 5th day of September, 1978

James E. Sisson Water Resources Director

REV 5