

STATE OF OREGON WATER RESOURCES DEPARTMENT
Application for Permit to Appropriate Surface Water **RECEIVED**
MAY 15 1978

WATER RESOURCES DEPT.
SALEM, OREGON

I, Elsie O. Vandecar
(Name of Applicant)
of P.O. Box 296 Durkee
(Mailing Address) (City)
State of Oregon 97905 887-2301
(Zip Code) Phone No. do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Trail Creek
Durkee Creek (Burnt River)
a tributary of

2. The point of diversion is to be located ft. and ft.
(N. or S.) (E. or W.)
from the corner of variable points of diversion along Trail Creek
(Public Land Survey Corner)
in the N $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 10, T. 11 S., R. 43 E., W.M. FURTHER DESCRIBED
(If there is more than one point of diversion, each must be described) FROM
AS BETWEEN POINTS LOCATED 470 FT. S. OF THE E. $\frac{1}{4}$ COR.
AND 775 FT. S. FROM THE CENTER OF SAID SECTION
10 being within the N $\frac{1}{2}$ $\frac{1}{4}$ of the SE $\frac{1}{4}$ of
Sec. 10 Tp. 11 S. R. 43 E., W.M., in the county of Baker
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
11 S	43	10	NE $\frac{1}{4}$ SE $\frac{1}{4}$	12 $\frac{1}{2}$ acres
11 S	43	10	NW $\frac{1}{4}$ SE $\frac{1}{4}$	35 acres

4. The amount of water which the applicant intends to apply to beneficial use is 1.19

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is supplemental irrigation

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Flood irrigation, variable points of diversion, plastic dams.

If for domestic use state number of families to be supplied

7. Construction work will begin on or before completed

8. Construction work will be completed on or before completed

9. The water will be completely applied to the proposed use on or before completed

Application No. 57419

Permit No. 43330

43330

Remarks: Since I am the last user on Trail Creek, we do not expect to use headgates and measuring devices unless necessary. (Also the only user.)

Elsie O. Vandecar
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 15th day of May, 19 28, at 11:00 o'clock A.M.

Application No. 57419

Permit No. 43330

35-40

43330

Application No. 57419

Permit No. 43330

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.19 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Trail Creek.

The use to which this water is to be applied is supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 15, 1978

Actual construction work shall begin on or before September 5, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 5th day of September, 1978

James E. Severson
Water Resources Director

BAH 5