

"CERTIFICATE NO. 65804

Application No. 57570

Permit No. 43364

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED

JUN 26 1978

I, Ira L. Harris

(Name of Applicant)

**WATER RESOURCES DEPT.
SALEM, OREGON**

of Star Route, Box 89

(Mailing Address)

Winston

(City)

State of Oregon

97496

(Zip Code)

Phone No. none

do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is unnamed stream, unnamed spring, and
Olalla Creek, a tributary of South Umpqua River

2. The point of diversion is to be located ft. and ft.
from the NW corner of Section 21

(Public Land Survey Corner)

#1: 1985'S., 300'E

(If there is more than one point of diversion, each must be described)

#2: 2335'S., 600'E

#3: 2425'S., 310'E

being within the SW ¼ of the NW ¼ of
Sec. 21 Tp. 29S R. 7W, W.M., in the county of Douglas

(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List ¼ ¼ of Section	List use and/or number of acres to be irrigated
29S	7W	21	SW ¹ / ₄ NW ¹ / ₄	Domestic; 5.0 acres

4. The amount of water which the applicant intends to apply to beneficial use is 0.0675 cfs:
cubic feet per second 0.0625: Olalla Creek; 0.005: spring and unnamed stream
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is domestic (0.005): from unnamed spring
and unnamed stream; irrigation (0.0625): from Olalla Creek

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

2-1hp. Elect. Pumps Using Sprinkler Heads
1 1/2" Mainline & 3/4" Leaders

If for domestic use state number of families to be supplied one

7. Construction work will begin on or before system in

8. Construction work will be completed on or before Oct. 1, 1979


9. The water will be completely applied to the proposed use on or before Oct. 1, 1980

Application No. 57570

Permit No. 43364

Remarks:.....

.....THIS APPLICATION PREPARED BY:
.....TYPED BY: GAIL M. FRY
.....FROM INFORMATION FURNISHED BY
.....THE APPLICANT,



Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of , 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

.....26th day of June, 1978, at 8:00 o'clock
..... A.M.

Application No..... 57570 Permit No..... 43364

Application No.....57570.....

Permit No.....43364.....

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.065..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, froman unnamed spring, an unnamed stream, and Olalla Creek.....

The use to which this water is to be applied is.....domestic for one family and irrigation; being 0.005 c.f.s.from the unnamed spring and unnamed stream for domestic, and 0.06 c.f.s.from Olalla Creek for irrigation.

If for irrigation, this appropriation shall be limited to1/80th..... of one cubic foot per second or its equivalent for each acre irrigated....and shall be further limited to a diversion of not to exceed 2 $\frac{1}{4}$ acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit isJune 26, 1978.....

Actual construction work shall begin on or beforeSeptember 5, 1979..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...80.....

Complete application of the water to the proposed use shall be made on or before October 1, 19..81.....

WITNESS my hand this5th..... day of.....September....., 19.78.....

James E. Sorenson
Water Resources Director

B