

4. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second..... 0.18 Cubic feet
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Irrigation of Crop and Pasture land

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

3/4 HP Motor and pump irrigation thru 2" PVC to rainbird heads

If for domestic use state number of families to be supplied

7. Construction work will begin on or before..... Exsisting.....

8. Construction work will be completed on or before

9. The water will be completely applied to the proposed use on or before..... October 30, 1978.....

Application No. 57697

Permit No. 4344

Remarks:.....

Mrs Lois E. Wake

Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before November 7....., 19...78.....

WITNESS my hand this 7th day of September....., 19...78.....

....JAMES E. SEXSON..... Water Resources Director

By *Ralph H. Jackson*
Ralph H. Jackson

RECEIVED
SEP 18 1978
WATER RESOURCES DEPT.
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
..... 26th day of July , 19...78....., at 11:00..... o'clock
..... A.M.

Application No..... 57697

Permit No..... 4344

Application No.....

57697

Permit No.....

43444

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.18 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Panther Creek.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2½ acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 26, 1978

Actual construction work shall begin on or before October 5, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...80.....

Complete application of the water to the proposed use shall be made on or before October 1, 19...81.....

WITNESS my hand this 5th day of..... October , 19' 78.....

James E. Jackson
Water Resources Director