

Application No. 57826

Permit No. 43508

2000
3000
5000

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

I, Eldon M. Latis (Name of Applicant)

of 17115 Maple Grove Rd, Monmouth (Mailing Address) (City)

State of Oregon, 97361 (Zip Code) Phone No. 838-2184 do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is A SPRING AREA

a tributary of LUCKIAMUTE RIVER

2. The point of diversion is to be located 150 ft N and 1960 ft W (N. or S.) (E. or W.)

from the 1/4 corner of BETWEEN SECTIONS 34 & 35 (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the SW 1/4 of the NE 1/4 of

Sec. 34 Tp. 9S R. 6W, W.M., in the county of POLK (N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
9S	6W	34	SW 1/4 NE 1/4	STOCK USE
			SE 1/4 NW 1/4	DOMESTIC USE
				TWO FAMILIES

4. The amount of water which the applicant intends to apply to beneficial use is 0.015

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Domestic use 2 Families
including irr. of up to 1/2 ac lawn and garden each
and stock water in barn area being 0.01 for domestic
and 0.005 cfs for stock.

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

It is our intention to open the spring area with a cut and backhoe to see whether the flow can be captured by a peripheral tile or is one of the type that comes straight up. In either case we hope to capture a large portion in a 4" perforated plastic tile leading it to a 300 gal concrete division + sediment tank.

The division will be by two 1" pipes of equal height in the tank, also adequate overflow and flushing outlets. The one pipe we will take to a lower concrete storage of approximately 2500 gal. From this we will take 1 1/4" pipe nearly to the buildings reducing them to smaller.

The other pipe will run back into the channel till such time as the neighbor sees fit to use it.

If for domestic use state number of families to be supplied 2

7. Construction work will begin on or before Oct 1, 1979

8. Construction work will be completed on or before Oct 1, 1980

9. The water will be completely applied to the proposed use on or before Oct 1, 1981

Application No. 57826

Permit No. 43508

43508

Remarks: We have used this spring since 1946 but the present set up is poorly designed and badly in need of replacement. The spring flows for about 900 feet through our property to the river and despite last years drought maintained a flow to the river.

x E. M. Lator
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

Water Resources Director

By

RECEIVED
AUG 21 1978
WATER RESOURCES DEPT.
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 21st day of AUGUST, 1978, at 1:45 o'clock P.M.

Application No. 57826

Permit No. 43508

Application No. 57826

Permit No. 43508

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.015 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring area.

The use to which this water is to be applied is domestic for two families, including the irrigation of lawn and garden not to exceed 1/2 acre in area for each, and stock; being 0.01 c.f.s. for domestic, and 0.005 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.


and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 21, 1978

Actual construction work shall begin on or before October 13, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 13th day of October, 1978


Water Resources Director