

Application No. 49109

Permit No. 43519

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED

AUG 22 1978

I, Middle Fork Irrigation District (Name of Applicant)

WATER RESOURCES DEPT. SALEM, OREGON

of P.O. Box 91 (Mailing Address), Parkdale (City)

State of Oregon, 97047 (Zip Code) Phone No. do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Trout Creek, Eliot Creek, Clear Creek, &

Reservoir R-4862, a tributary of East Fork Hood River Trout Cr. 340 N 120 W

2. The point of diversion is to be located 350 ft S and 50 ft E from the NE SE 1/4 SE 1/4, Sec. 1 (N. or S.) (E. or W.)

from the NW corner of Section 32 being within NE 1/4 SE 1/4 Section 1 (Public Land Survey Corner)

T. 1 S., R. 9 E. & NW 1/4 NW 1/4 Section 32, T. 1 N., R. 10 E., Eliot Cr. location: (If there is more than one point of diversion, each must be described)

2400' S. & 125' E. from NW Cor. Sec. 26 being within SW 1/4 NE 1/4 Section 26, T. 1 S.,

R. 9 E., Clear Cr. and Res.: 520' S. & 2500' W. from NE Cor. Sec. 27

being within the NW 1/4 of the NE 1/4 of

Sec. 27 Tp. 1 S., R. 9 E., W. M., in the county of HOOD RIVER (N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Includes handwritten notes like '\* 1/4 IR % 1/2 IR' and '# 171 HG. FR. 24'.

Form 690-1-0-1-77

continued under Item #6

- \* Primary from Trout Creek with any deficiency from Eliot Cr., Clear Cr. & res. for irrig.
% Supplemental from Eliot Cr. with any deficiency from Clear Cr. & res. for irrigation
# Primary from Trout Cr. with any deficiency from Eliot Cr, Clear Cr. & res. for spray, fire, & stock

4. The amount of water which the applicant intends to apply to beneficial use is 7.9 cfs

cubic feet per second being 7.33 cfs from Trout Cr. with any deficiency from Eliot Cr., Clear Cr. & Res., 0.57 cfs from Eliot Cr. with any deficiency from Clear Cr. & Res.

5. The use to which the water is to be applied is Irrigation, Supplemental irrigation,

Spraywater, fire, & stock, being 6.55 cfs for irrigation & supplemental irrigation, 1.0 cfs for spraywater, 0.25 cfs for fire, 0.1 cfs for stock

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Gravity diversion into Main Canal with pressure pipelines throughout the entire District. Diversion by pipeline from two locations on Trout Creek. Each user provides own distribution system for irrigation. Fire hydrants and pumper access throughout the District. Stock water incidental to orchard farming. Spraywater distributed mechanically 400 gallons per acre per application.

#3 continued:

TWNP	RNG	SEC.	1/4 SEC.	*	%	#
1 N	10 E	30	SE SE	4.1		4.1
		32	NE NW	19.5		19.5
			NW NW	36.4		36.4
			SW NW	27.5		27.5
			SE NW	35.6		35.6
			NE SW	36.9		36.9
			NW SW	3.5	17.9	21.4
			SW SW	3.7		3.7
TOTALS				478.7	45.4	524.1

If for domestic use state number of families to be supplied

7. Construction work will begin on or before has begun

8. Construction work will be completed on or before 10-1-80

9. The water will be completely applied to the proposed use on or before 10-1-81

43519

Application No. 49109

Permit No.

Remarks:.....

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

*Middle Fork Irrigation Dist*  
Signature of Applicant  
*Manager W.A. Hutton*

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before ....., 19.....

WITNESS my hand this ..... day of....., 19.....

..... Water Resources Director

By .....

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

*30<sup>th</sup>* day of *March*, 19*72*, at *10* o'clock  
*A.M.*

Application No.....*49109*.....

Permit No.....**43519**.....

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 7.9 cubic feet per second measured at the point of diversion from the

stream, or its equivalent in case of rotation with other water users, from Trout Creek, Eliot Creek, Clear Creek, and a reservoir constructed under permit No. R-4862; being 7.33 cfs from Trout Cr. with any deficiency from Eliot Cr., Clear Cr., and Res., 0.57 cfs from Eliot Cr. with any deficiency from Clear Cr. and Res.

The use to which this water is to be applied is irrigation, supplemental irrigation, spray-water, fire, and stock; being 6.55 cfs for irrigation and supplemental irrigation, 1.0 cfs for spraywater, 0.25 cfs for fire, and 0.1 cfs for stock.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 30, 1972

Actual construction work shall begin on or before October 13, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 13th day of October, 1978

James E. Jensen Water Resources Director