

Application No. 57524

Permit No. 43606

STATE OF OREGON WATER RESOURCES DEPARTMENT **RECEIVED**

Application for Permit to Appropriate Surface Water NOV 3 1978

WATER RESOURCES DEPT.
SALEM, OREGON

I, Arnold Braat (Name of Applicant)

of Rt 1 (Mailing Address), Boardman (City)

State of Oregon (Zip Code) 97818 Phone No. 481-9429 do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Columbia River (John Day Pool, Messner Pond), a tributary of

2. The point of diversion is to be located 800 ft. S (N. or S.) and 1110 ft. W (E. or W.) from the NE corner of Section 10 (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

..... being within the NE 1/4 of the NE 1/4 of Sec. 10 Tp. 4N R. 25E, W. M., in the county of Morrow

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
4N	25E	21	NE NE	3.0
			SW NE	35.0
			SE NE	38.0
			NE NW	2.0
			NW NW	3.0
		22	S 1/2 NW	80.0
			S 1/2	320.0
			NE NE	40.0
			NW NE	25.0
			NE NW	20.0
27			NW NW	15.0
			S 3/4	480.0
			N 1/2 NW	80.0
28			N 1/4	160.0
				<u>1301</u>

4. The amount of water which the applicant intends to apply to beneficial use is 20.0

cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Supplemental Irrigation
of 1301 acres

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Headgate and fish screen to be installed
on Messner Pond to control gravity
flow into 36" pipeline
650' 36" pipeline from Messner Pond
to Pump Sump (same sump as per
G-6876.)
2 - 350 hp pumps feed 34" pipeline
runs to irrigated land and serves
center pivot systems & portable
sprinkler system.

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before..... has begun

8. Construction work will be completed on or before..... 10/1/79

9. The water will be completely applied to the proposed use on or before..... 10/1/80

Application No. 57524

Permit No. 13606

Remarks: 20 cfs from Columbia River
will be used to supplement ground
water supply under permit 6-6876.

Arnold Breat
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

Water Resources Director

By

RECEIVED
DEC 7 1978
WATER RESOURCES DEPT.
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

14th day of June, 1978, at 2:00 o'clock

P.M.

Application No. 57524

Permit No. 13606

Application No. 57524

Permit No. 43606

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 20.0 cubic feet per second measured at the point of diversion from the Columbia River (John Day Pool, Messner Pond).

The use to which this water is to be applied is supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and is subject to the construction and maintenance of an intake screening device approved by the Oregon Department of Fish and Wildlife, provided further that although declared herein to be for supplemental irrigation the right allowed may, in the interest of conserving the ground water supplies, be exercised at times when water is available in the ground water supply provided that the total quantity diverted from all sources of supply does not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 14, 1978

Actual construction work shall begin on or before November 15, 1979 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980. Extended to Oct. 1, 1981 Extended to Oct. 1, 1983 Extended to Oct. 1, 1984 Extended to Oct. 1985

Complete application of the water to the proposed use shall be made on or before October 1, 1981. Extended to Oct. 1, 1982 Extended to Oct. 1, 1984 Extended to Oct. 1985

WITNESS my hand this 15th day of November, 1978

James E. Saxon Water Resources Director