

Application No. 57861

Permit No. 43627

STATE OF OREGON WATER RESOURCES DEPARTMENT **RECEIVED**

Application for Permit to Appropriate Surface Water **AUG 28 1978**

**WATER RESOURCES DEPT.  
SALEM, OREGON**

I, Oregon Department of Fish and Wildlife  
(Name of Applicant)

of 506 S.W. Mill Street Portland  
(Mailing Address) (City)

State of Oregon, 97208 Phone No. 229-5551 do hereby  
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Diamond Lake Reservoir  
....., a tributary of Lake Creek

2. The point of diversion is to be located 150 ft. N. and 250 ft. E.  
(N. or S.) (E. or W.)  
from the SW corner of Section 30  
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

..... being within the SW  $\frac{1}{4}$  of the SW  $\frac{1}{4}$  of  
Sec. 30 Tp. 27S. R. 6E., W. M., in the county of Douglas  
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
26S.	3W.	1	NE $\frac{1}{4}$ SW $\frac{1}{4}$	Fish propagation at Rock Creek Hatchery

4. The amount of water which the applicant intends to apply to beneficial use is ..... 5800 a. f. ....

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is ..... Supplemental fish propagation .....

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

If minimum flow requirements necessitate the curtailment of the Rock Creek Hatchery on the North Umpqua River - water to be replenished at Diamond Lake into Lake Creek and carried by the channel of Lake Creek and the North Umpqua River to the place of use. Supplementing Application 54881. Up to 32 c.f.s. may be released at any given time.

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before..... Complete.....


8. Construction work will be completed on or before..... 10-1-79.....

9. The water will be completely applied to the proposed use on or before..... 10-1-80.....

Application No. .... 57861 .....

Permit No. .... 43627 .....

Remarks:.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

  
Signature of Applicant  
Folkert Menger

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....  
.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before ....., 19.....

WITNESS my hand this ..... day of....., 19.....

..... Water Resources Director

By .....

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the  
..... 28<sup>th</sup> day of August ....., 19 78 ....., at 8:00 o'clock  
..... A.....M.

Application No. .... 57861 .....

Permit No. .... 43627 .....

Application No. 57861

Permit No. 43627

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 32.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Diamond Lake Reservoir to be constructed under application No. R-57860, permit No. R-7734, and shall be further limited to a diversion of not to exceed 5800 a.f. per year.

The use to which this water is to be applied is fish propagation.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 28, 1978

Actual construction work shall begin on or before November 30, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 30th day of November, 1978

James E. Seaman
Water Resources Director