

Application No. 58021

Permit No. **43728**

STATE OF OREGON WATER RESOURCES DEPARTMENT RECEIVED

Application for Permit to Appropriate Surface Water OCT 23 1978

**WATER RESOURCES DEPT.
SALEM, OREGON**

I, Walter E., and Geraldine M. Graven..... SALEM, OREGON
(Name of Applicant)

.....
(Name of Applicant)

of Route 1, Box 15, Richland (City)
(Mailing Address)

1

State of Oregon....., 97870 Phone No. 893-4274..... do hereby
(Zip Code)

(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is.....a spring.....
....., a tributary of

, a tributary of

2. The point of diversion is to be located 65 ft. S and 18.5 ft. E
(N. or S.) (E. or W.)

from the N.W. corner of N.W. 1/4 of S.W. 1/4, Section 13, T. 9 S.
(Public Land Survey Corner)

(Public Land Survey Corner)

R 45 E., W.M.....

(If there is more than one point of diversion, each must be described)

¹ See, for example, the discussion of the relationship between the U.S. and the European Union in the final section of this paper.

Digitized by srujanika@gmail.com

.....

being within the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of the

..... being within the N.W. ¼ of the S.W. ¼ of

Sec. 13..... Tp. 95..... R. 45 E., W.M., in the county of Baker.....

3. Location of area to be irrigated, or place of use if other than irrigation

5. Location of area to be irrigated, or place of use if other than irrigation.

List use and/or number

<i>Township</i>	<i>Range</i>	<i>Section</i>	<i>List $\frac{1}{4}$ $\frac{1}{4}$ of Section</i>	<i>of acres to be irrigated</i>
-----------------	--------------	----------------	--	---------------------------------

4. The amount of water which the applicant intends to apply to beneficial use isfrom 2 to 5 gallon
cubic feet per second.....per minute.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied iswater for stock.....

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Cement watering trough adjacent to spring.....

If for domestic use state number of families to be supplied—

7. Construction work will begin on or before.....April 1, 1979.....

8. Construction work will be completed on or before....May 1, 1979.....

9. The water will be completely applied to the proposed use on or before....May 1, 1979.....

Application No.58021.....

Permit No.43728.....

RECEIVED

Remarks:.....

✓ Walter E. Graven

Signature of Applicant

✓ Geraldine M. Graven

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

..... 23rd day of October, 1978, at 11:00 o'clock
..... A.M.

Application No. 58021

Permit No. 43728

Application No.....58021.....

Permit No.....43728.....

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring.....

The use to which this water is to be applied is.....stock water.....

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.....


and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 23, 1978.....

Actual construction work shall begin on or before December 21, 1979..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19....80.....

Complete application of the water to the proposed use shall be made on or before October 1, 19....81.....

WITNESS my hand this 21st day of..... December....., 19....78.....


James E. Seaton
Water Resources Director