

Application No. 56129Permit No. 43758

## STATE OF OREGON WATER RESOURCES DEPARTMENT

## Application for Permit to Appropriate Surface Water

**RECEIVED**

JUN 12 1978

I, Cecil Meiser (Name of Applicant)of Rt 1 Box 250C (Mailing Address), Eagle Creek (City)State of Oregon, 97022 Phone No. 637 3441 do hereby

(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is FARMref Spring Branch & Res., a tributary of Goose Creek - Clackamas River2. The point of diversion is to be located 2100 ft. N and 950 ft. W  
from the SE corner of Sec 33 2S 4E

(Public Land Survey Corner)

One point only to be within  
Northeast  $\frac{1}{4}$  of SE  $\frac{1}{4}$  of Sect 33being within the N East  $\frac{1}{4}$  of the Southeast  $\frac{1}{4}$  of  
Sec. 33 Tp. 2 S R. 4 E W.M., in the county of ClACKAMAS.

(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4} \frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
<u>2 S</u>	<u>4 E</u>	<u>33</u>	<u>N East <math>\frac{1}{4}</math> of SE <math>\frac{1}{4}</math></u>	<u>11 Acre Cattle water</u> <u>Amended Dec 1 1978.</u>
				<u>4.0 Acres to irrigate</u> <u>Garden and pasture</u> <u>&amp; stock</u>

4. The amount of water which the applicant intends to apply to beneficial use is .....  
cubic feet per second..... 0125 Per Acre 5.6 gals per min  
(If water is to be used from more than one source, give quantity from each)
5. The use to which the water is to be applied is .....  
garden & pasture (Water Cattle) Irrigate  
(15 head - 75 gals per day)  
(Irrigate Max 49 gals per min x 960 hrs = 2,304,000 g.)

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Dimensions: 90 x 30 x 40 x 100 ft per drawings  
Type of Const: Excavated Reservoir  
No supply Ditch  
1 H.P. Motor Briggs & Stratton 1 3/4 outlet  
Outlet Pipe 8 cm p ASHP CTD 16 GA 20' length  
Seep ~~Spill~~ Springs Located in the Reservoir

If for domestic use state number of families to be supplied .....

7. Construction work will begin on or before ..... August 10, 1978  
8. Construction work will be completed on or before ..... Sept 30, 1978 RENT OVERDUE  
9. The water will be completely applied to the proposed use on or before ..... August 1979 MY 1st BORN BESIDE DEATH

Application No. 56129

Permit No. ....

RECEIVED  
43758

Remarks: Sger Springs are located at the  
Bottom of the Reservoir - Stock troughs will be located  
just below the reservoir - The reservoir will be L  
Shaped as per drawings sent in earlier

*Cecil Messer*

Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before October 17, 19<sup>78</sup>.  
January 30, 19<sup>79</sup>

WITNESS my hand this 17th day of August, 19<sup>78</sup>.  
30th November, 19<sup>78</sup>.  
James E. Sexson Water Resources Director

By *Ves Garner*  
Ves Garner

RECEIVED

NOV 2 4 1978  
WATER RESOURCES DEPT.  
SALEM, OREGON

RECEIVED  
DEC 3 1978

WATER RESOURCES DEPT.  
SALEM, OREGON

RECEIVED  
FEB 6 1979

WATER RESOURCES DEPT.  
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the  
12<sup>th</sup> day of June, 1978, at 8:00 o'clock  
A.M.

Application No. 56129

Permit No. 43758

Application No. 56129

Permit No. 43758

## Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed ..... 0.055 ..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from seepage, springs, and a reservoir to be constructed under application No. R-57511, permit No. R-7762.

The use to which this water is to be applied is....irrigation and stock; being 0.05 c.f.s. for irrigation...and 0.005 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to ..... 1/80th ..... of one cubic foot per second or its equivalent for each acre irrigated...and shall be further limited to a diversion of not to exceed 2½ acre feet per acre for each acre irrigated during the irrigation season...of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is ..... November 24, 1978.....

Actual construction work shall begin on or before ..... January 10, 1980..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...80.....  
Extended to Oct. 1 1981

Complete application of the water to the proposed use shall be made on or before October 1, 19.81.....

WITNESS my hand this ....10th..... day of.....January....., 19.79.....

James E. Jackson  
Water Resources Director

RJ